


iQ GRANIT SD technical data

CLASSIFICATION	STANDARDS	iQ Granit SD
Type of floor covering	ISO 10581	Permanently static dissipative pressed homogeneous vinyl flooring
Classification	EN ISO 10874	Commercial: 34 Industrial: 43
Certification	EN 14041	Yes
CHARACTERISTICS	STANDARDS	iQ Granit SD
Total thickness	EN ISO 24346	2.0 mm
Wear layer thickness	EN ISO 24340	2.0 mm
Total weight	EN ISO 23997	2950 g/m ²
Binder content	EN ISO 10581 - Compact	Type I
Surface treatment		iQ PUR
Dimensions	EN ISO 24341 Sheet (roll)	Approx. 23 lm x 200 cm Art. no. 3096 ___ 3 digit colour number
	EN ISO 24342 Tile (box)	61x 61 cm - 14 tiles/box = 5.21 m ² Art. no. 3097 ___ 3 digit colour number
TECHNICAL PERFORMANCES	STANDARDS	iQ Granit SD
Dimensional stability	EN ISO 23999	≤ 0.40% for rolls ≤ 0.25% for tiles
Residual indentation	EN ISO 24343-1	Best measured value: 0.02 mm Required value: ≤ 0.10mm
Effect of castor chair	ISO 4918 - EN 425	Suitable
Clean room test	ASTM F24 F51	Class A
Ease of decontamination	ISO 8690	Good
Light fastness	EN ISO 105-B02	≥ level 7
Total VOC emissions	ISO 16000-6	≤ 10 µg/m ³ (after 28 days)
Bacteria resistance	ISO 846 - Part C	Does not favour growth
Reaction to fire	EN ISO 9239-1 EN ISO 13501-1 EN ISO 11925-2	≥ 8 kW/m ² Class B _{s1} Pass
Static electrical charge	EN 1815	< 2 kV
Slip resistance	DIN 51130 EN 13893	≥ 0.3 R9
Seam strength	EN 684	Average value: ≥ 240 N/50 mm Individual values: ≥ 180 N/50 mm
Thermal resistance	EN 12667	Approx. 0.01 m ² K/W
Electrical insulation	VDE 0100, Part 600	R _i ≥ 5 x 10 ⁴ Ohms
Electrical resistance	ESD-approval SP-method 2472 EN 1081	R ≤ 10 ⁹ Ohms R ₁ ≤ 10 ⁸ Ohms R ₂ ≤ 10 ⁸ Ohms
	EN/IEC 61340-4-1 / 100 V EN/IEC 61340-4-5	R ≤ 10 ⁸ Ohms measured to ground -
Chemical resistance	ISO 26987	Excellent
Underfloor heating		Suitable - max. 27°C
Colours		14

The above information is subject to modifications for the benefit of further improvement. (03/17).

For more detailed technical information, please contact Tarkett.

CUSTOMS TARIFF: 482050000000F



Logistics Information



General Information



iQ Granit SD	NCS N°	Welding Rod No.
710	S 1500-N	1287 411
711	S 2502-B	1287 412
712	S 4502-B	1287 413
713	S 7502-B	1287 414
714	S 2005-Y40R	1287 415
715	S 1020-Y30R	1287 416
716	S 2020-Y30R	1287 417
718	S 2020-R90B	1287 419
719	1502-Y50R	1287 256
721	S 2030-Y30R	1287 431
722	S 4005-Y50R	1287 379
723	S 7005-Y80R	1287 456
724	S 4020-G50Y	1287 499
726	S 6502-B	1287 394

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE: Baltic Countries:** Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. slozka – Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP Z.O.O. magyarországi fióktelepe – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o. o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zložka – Tel. +421 2 48291 317 ■ South East Europe: Tarkett SEE – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur – Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett - Tel. +55 11 98410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Latam Mexico - Tel. +55 11 98410 9310