

Johnsonite®

800 PSI 2 FLEX +10
16

SVT

Solid Vinyl Tile



Cortina
Grande® &
GemStone™



THE ULTIMATE
FLOORING EXPERIENCE



DESIGN WITH



CORTINA GRANDE® SVT
GEMSTONE™ SVT






SHOWN HERE: MG608 AND MG609



SHOWN HERE: CG501, CG521 AND CG523





SHOWN HERE: CG501, CG502, CG510, CG523, CG528, CG531 AND CG533
SHOWN ON FRONT COVER: MG608, MG609, MG610 AND CG529



SHOWN HERE: MG609








GEMSTONE

GEMSTONE METALLIC AND GLASS





Glass
MG604 Beach Glass

Metallic
MG610 Night Light

Visit www.tarkettna.com
for more design inspiration.

Introducing GemStone™, a new rich visual of 6 metallic colors and 6 glass colors that delivers glamour and character to any commercial space. Specify GemStone and you've offered your clients an upscale, high end interior floor at an attractive price point with the attributes of a premium resilient tile.

- Highest binder content for superior durability and easy maintenance
- Ideal for areas that do not receive constant routine maintenance
- Buffable finish allows maintenance with neutral cleaner and dry buffing
- Recyclable: contains post-consumer recycled content
- FloorScore™ certified
- Phthalate Free formulation
- Low TVOC emissions - <math><10\mu\text{g}/\text{m}^3</math>
- ISO 14001 and ISO 9001 certified
- NSF 332 Gold certified
- Made in USA
- 16" x16" tile size
- 12 color options suitable for a variety of commercial applications
- Coordinating wall base, transitions and other finishing accessories available



GemStone glass offers delicate pastels with subtle glass-like shimmers that are purposefully created to give a space a calming feeling with hushed elegance and glamour.



MG603 Glass Green W
460 Cotton W *



MG601 Sunlight W
01 Snow White W *




MG602 Crystal Clear CB
22 Pearl CB *



MG606 Reflective CG
TA5 Colonial Grey CG *



MG604 Beach Glass W
08 Icicle W *





MG605 Glistening Bay W
08 Icicle W *

We've identified Color Foundations™ neutrals in the following way:
WB (warm beige), **CB** (cool beige),
WG (warm grey), **CG** (cool grey),
B (black), **W** (white)

MG000 color name
000 coordinating color *

* Suggested Johnsonite colors for finishing borders (wall base). For a complete and accurate color representation, see the Johnsonite color guide.





GEMSTONE METALLIC

Metallics have never been more desirable, with GemStone metallics marrying the look of precious materials with the practical characteristics of resilient flooring.




MG612 Radiate
177 Copper *



MG611 Golden Glow WB
67 Old Gold WB *



MG607 Twinkle W
77 White Pearl W *



MG610 Night Light B
82 Black Pearl B *



MG609 Steel Shine CG
178 Ironstone CG *



MG608 Silver Moon W
69 Sterling Silver CG *



We've identified Color Foundations™ neutrals in the following way:
WB (warm beige), **CB** (cool beige),
WG (warm grey), **CG** (cool grey),
B (black), **W** (white)

MG000 color name
000 coordinating color *


* Suggested Johnsonite colors for finishing borders (wall base). For a complete and accurate color representation, see the Johnsonite color guide.







**CORTINA GRANDE SMOOTH
AND SLIP RESISTANT (SR)**



CG503 Ginger Ale

CG503SR Ginger Ale

*Visit www.tarketna.com
for more design inspiration.*

Cortina Grande, a solid vinyl tile, can increase productivity in high performance spaces by making people more comfortable and lowering maintenance costs and downtime. It can motivate and inspire through color, pattern and design. Cortina Grande is the perfect choice for heavy use areas like school foyers and hallways, convenience stores and healthcare facilities. The SVT construction allows it to withstand heavy foot traffic and requires easy maintenance, decreasing life cycle costs.

- Highest binder content for superior durability and easy maintenance
- Ideal for areas that do not receive constant routine maintenance
- Buffable finish allows maintenance with neutral cleaner and dry buffing
- FloorScore™ certified
- Phthalate Free formulation
- Low TVOC emissions - <math><10\mu\text{g}/\text{m}^3</math>
- ISO 14001 and ISO 9001 certified
- NSF 332 Gold certified
- Made in USA
- 16" x16" tile size
- 50 color options suitable for a variety of commercial applications
- 6 coordinating slip resistant options
- Coordinating wall base, transitions and other finishing accessories available



SHOWN HERE: CG410 AND CG501 IN CHECKERBOARD (CB220SVT)

Design options increase immeasurably with the unique 16"x16" size of Cortina Grande solid vinyl tile and a full range of color.



CG501 Half-n-Half W
68 White Sand W *




CG503 Ginger Ale WB
09 Clay WB *



CG410 Camel
280 Shoreline *



CG506 Sponge Beige WB
129 Silk WB *



CG412 Heather WG
27 Mist WG *



CG502 Picnic Basket CB
31 Zephyr CB *



CG504 Smooth Sand WB
11 Canvas WB *



CG512 Warm Day CB
80 Fawn CB *




CG405 Cinder White CG
23 Vapor Grey CG *



CG404 Pumice WG
24 Grey Haze WG *



CG509 Campy WG
29 Moon Rock WG *




CG510 Grille Grey WG
32 Pebble WG *




SHOWN HERE: CG521 AND CG532




CG402 Black & White W
08 Icicle W *



CG508 Cooler CG
23 Vapor Grey CG *



CG511 Cool Crete CG
38 Pewter CG *



CG409 Ginger WB
45 Sandalwood WB *



CG527 Golden
130 Sisal *



CG513 Splash CG
38 Pewter CG *



CG518 Tide Bubbles
292 Evening Shower *




CG505 On The Green
151 Iguana *




CG526 Penny
112 Oakley *



CG507 Sweet Pea
289 Jaded *




CG514 Violet Fields WG
186 Mousi WG *




CG521 Beckon Blue
58 Windsor Blue *



CG517 Hedgely
190 Greege *




CG516 SeaSun
282 Vaporize *




CG515 Phlox
41 Sea Breeze *




SHOWN HERE: CG410, CG483, CG487, CG488, CG503 AND CG512



CG524 Crocus
23 Vapor Grey CG *




CG403 Loam WG
20 Charcoal WG *



CG519 Peabody
73 Palm Leaf *



CG523 Bluebells
84 Blue Jeans *




CG520 Blossom
263 Leafy *




CG531 Sunny Day
184 Daffydil *




CG529 Speedy
163 Salsa *



CG534 Blanket Brown
284 Ganache *




CG401 Onyx B
40 Black B *




CG528 Pom Poms
113 Chestnutty *



CG530 Snappy
140 Carrot *




CG532 Racer
106 Skinny Dip *



CG533 Queen Anne B
44 Dark Brown B *



CG522 Spring Leaf
271 Seedling *



CG525 Aster
14 Tropical Storm *




SHOWN HERE: CG487

Cortina Grande® SR

6 slip resistant color options available.



CG405SR Cinder White CG
23 Vapor Grey CG *



CG509SR Campy WG
29 Moon Rock WG *



CG412SR Heather WG
27 Mist WG *




CG503SR Ginger Ale WB
09 Clay WB *



CG409SR Ginger WB
45 Sandalwood WB *




CG404SR Pumice WG
24 Grey Haze WG *



CG482 Koise
468 Gulfstream *




CG486 Kink
104 Pinkie *




CG483 Klime
50 White W *



CG487 Krose
104 Pinkie *



CG485 Kurp
74 Iris *



CG484 Klue
139 Glacier *



CG488 Korange
62 Tangerine Tango *



CG489 Khite W
08 Icicle W *

Karim Kolors

Designed by world-renowned designer Karim Rashid, the eight bold, striking Karim Kolors and the four unique Karim Shapes (available for all SVT and shown on page 16) combine for dramatic visual impact.





KARIM SHAPES

SHOWN HERE: CG508, CG522, CG524 AND CG531 IN TIDE

Designed by world-renowned designer Karim Rashid, the four unique Karim Shapes ensure dramatic visual impact and are available for all GemStone and Cortina Grande colors.

All colors of GemStone and Cortina Grande are available in Karim Shapes by SPECIAL ORDER ONLY with a minimum order of one carton. Allow 3 weeks for cutting. For additional information, contact our Tarkett Customer Service Group at 1-800-899-8916.






DESIGN DETAILS




SHOWN HERE: MG603, CG516 AND CG519

Use these examples as a guide in determining the flooring needs for your creative designs. (Add 1.5% per sku for field cuts.)


Checkerboard




CB116SVT – Checkerboard
 1. 16" x 16" (47.55%)
 2. 16" x 16" (47.55%)
 3. 1/2" FS (3.9%)
 4. 1/4" FS (1.0%)




CB219SVT – Checkerboard
 1. 16" x 16" (50%)
 2. 16" x 16" (50%)




CB220SVT – Checkerboard
 1. 16" x 16" (50%)
 2. 16" x 16" (50%)



CB221SVT – Checkerboard
 1. 16" x 16" (12.5%)
 2. 16" x 16" (12.5%)
 3. 16" x 16" (12.5%)
 4. 16" x 16" (12.5%)
 5. 16" x 16" (50%)




CB224SVT – Checkerboard
 1. 16" x 16" (50%)
 2. 16" x 16" (50%)




CB225SVT – Checkerboard
 1. 16" x 16" (72%)
 2. 16" x 16" (28%)

Random




RA240SVT – Random
 1. 16" x 16" (56%)
 2. 16" x 16" (22%)
 3. 16" x 16" (22%)




RA136SVT – Random
 1. 16" x 16" (33.33%)
 2. 16" x 16" (33.33%)
 3. 16" x 16" (33.33%)

Border




B414SVT – Border
 1. 16" x 16" (96%)
 2. 16" x 16" (3%)
 3. 1/2" FS (1%)




B415SVT – Border
 1. 16" x 16" (48%)
 2. 16" x 16" (52%)

Plaid/Grid



PL127SVT – Plaid
 1. 16" x 16" (13%)
 2. 16" x 16" (42%)
 3. 16" x 16" (45%)



GR233 – Grid
 1. 16" x 16" (7%)
 2. 16" x 16" (50%)
 3. 16" x 16" (43%)



FloorART



With your imagination and creativity, and our SVT, design possibilities are endless.

With little more than a drawing or sketch, your ideas become beautiful, intricate designs custom-made for any floor using water-jet technology. With Tarkett's wide variety of colors, there's nothing to hold your creativity back!



For a quote or further information, call 1-866-592-0136.




Tarkett ReStart® Reclamation Program

We are dedicated to eliminating landfill. And a great way to do this is to recycle our products and installed floors. Our ReStart Program reclaims samples, products and installation waste.

- The Architectural Sample Return Program repurposes unused and outdated samples returned from specifiers.
- Our Contractor Return Program reclaims clean installation flooring waste, which is incorporated into our new products.
- The Post-Consumer flooring recycling program effectively recycles all flooring, even with adhesive residue. In fact, using our SpraySmart adhesive reduces the amount of adhesive used and therefore makes the floor easier to recycle.

We continue to look at the economic, industrial and social frameworks that surround our products. While we constantly examine the methodologies and tools that allow us to reclaim and produce flooring, we strive to find innovative ways to reuse those materials and produce the high performance and lasting products we are known for.



Go to [ecoScorecard™](#) for environmental credits information.

Solid Vinyl Tile

Technical Data	Standards	Cortina Grande®	GemStone™
Type of Floor Covering		Solid Vinyl Tile	Solid Vinyl Tile
Classification	ASTM F 1700	Meets Requirements	Meets Requirements
Total Thickness		1/8" (3.2 mm)	1/8" (3.2 mm)
Static Load Limit	ASTM F 970†	800 psi (modified)	800 psi (modified)
Tile Size		16" x 16" (40.6 cm x 40.6 cm)	16" x 16" (40.6 cm x 40.6 cm)
Weight/sq. ft./m²		1.22 lbs sq. ft. (13.08 lbs. m²)	1.22 lbs sq. ft. (13.08 lbs. m²)
Carton Quantity		25 tiles = 44.44 sq. ft. (4.12 m²)	25 tiles = 44.44 sq. ft. (4.12 m²)
Carton Weight		54 lbs (24.5 kg)	54 lbs (24.5 kg)
Flammability	ASTM E 648	Class 1 > 0.45 CRF	Class 1 > 0.45 CRF
Smoke Density	ASTM E 662	< 450	< 450
Slip Resistance SCOF	ASTM D 2047	SCOF ≥ 0.5 - Both smooth and slip resistant (SR)	SCOF ≥ 0.5
Chemical Resistance	ASTM F 925	Good	Good
Colors		50 smooth, 6 slip resistant	6 glass, 6 metallic
Warranty		10 Year LIMITED Warranty. See www.tarkettna.com for complete warranty information.	10 Year LIMITED Warranty. See www.tarkettna.com for complete warranty information
Maintenance		2 coats of finish/Flexible maintenance depending upon use of the floor*	2 coats of finish/Flexible maintenance depending upon use of the floor*

* Contact Tech Services for flexible maintenance options.

† Static load limit per ASTM 970 modified by specifying a higher load.

Please visit tarkettna.com for the most updated specifications, and installation, cleaning and maintenance instructions.

The Johnsonite system includes transitions and finishing borders (wall base) to complete your flooring design and installation.

How to Order: **Cortina Grande:** Smooth: CG(XXX) Color Number
Slip Resistant: CG(XXX) Color Number SR
GemStone: MG(XXX) Color Number



NSF Certified



Adhesives

All of our adhesives have been specially formulated and tested to provide superior results when used as recommended. Use of complete Tarkett branded installation systems – flooring material, floor preparation products and adhesives – ensures Tarkett full warranty coverage on our commercial flooring products.

SpraySmart Adhesive



Reduction in Environmental Impact:

- Pounds of glue
- Truckloads off the highways
- CO² of freight greenhouse gas not generated
- Gallons of manufacturing water saved
- 79.4% decrease in adhesive manufactured, transported and installed

SPRAYSMART 120
7 lbs Moisture / 11 pH
RH 85% / 11 pH
Approx. Coverage: 185 ft²

Additional Adhesives



800 PRESSURE SENSITIVE ADHESIVE
for Solid Vinyl Tile - Zero TVOC
5 lbs Moisture / 9 pH
RH 80% / 9 pH



940 POLYURETHANE ADHESIVE
for specialized applications - Zero TVOC
5 lbs Moisture / 9 pH
RH 80% / 9 pH

Technical data	SPRAYSMART 120
Size	22 oz.
Quantity	6 per case
Weight	11 lbs/case (5.0 kg)

Technical data	800-G	800-4	940-G
Size	1 Gallon	4 Gallon	1 Gallon
Quantity	4 per case	1 pail	1 carton
Weight	38 lbs/case (17.2 kg)	37 lbs (16.8 kg)	12 lbs (5.4 kg)

SPEED SWITCH
800-899-8916

For more accurate color and pattern representation, call Speed Switch for samples.

16910 Munn Road
Chagrin Falls, OH 44023
800-899-8916 or 440-543-8916

tarkettna.com



THE ULTIMATE
FLOORING EXPERIENCE

Printed on paper containing pre and post consumer recycled content.

©2014 Tarkett
Printed in the USA 6/14
LPMGJO
A954001-379 6505700007

The contents of this document including, but not limited to, all text and images (Content) are owned by Tarkett Inc. with all rights reserved unless otherwise noted. Any Content that is a trademark, logo, or service mark is also a registered and unregistered trademark of Tarkett Inc. Your use of any Content without the written permission of Tarkett Inc. is strictly prohibited.