



STYLE: CONCRETE

PRUSSIAN CCN 0710 SOAPSTONE CCN 0712 CUSTOM SHAPE

FOR ADDITIONAL COLORS, SEE PAGE 26.











TILE + PLANI

STYLE: LEGACY STONE ALCANTARA CLE 0562 6"x36", 9"x36", 12"x36"





STYLE CLASSIC STONE

ASH LIMESTONE ECL 7107

18"x 18"

FOR ADDITIONAL COLORS, SEE PAGE 23.

LVT





LVT

TILE + PLANK

CORDOVAN SANDSTONE ECL 7112
18"x18"



STYLE: TRAVERTINE

TOSCANO TRAVERTINE ETR 7212

6"x36",9"x36",12"x36"

FOR ADDITIONAL COLORS, SEE PAGE 23.





STYLE: FOSSIL STONE
JORY CFS 0830, 18"x18"

9" BORDER LICHEN CFS 0832 ACORN CFS 0834







STYLE: CLASSIC STONE
COQUINA STONE ECL 7133
6"x36", 9"x36", 12"x36"





STYLE: CLASSIC STONE

SERENADE MARBLE ECL 7101

12"x 36"

FOR ADDITIONAL COLORS, SEE PAGE 23.

Tandus Centiva



IILE + PLAN







STYLE: FOSSIL STONE
NEW JOMON CFS 0836
18"x18"





STYLE: QUARTZITE

MOROCCAN QUARTZITE EQZ 7232

18"x18"

FOR ADDITIONAL COLORS, SEE PAGE 23.

SIZE AVAILABILITY

• PREFERRED								
mm (inches)	305 x 305 (12"x12")	305 x 457 (12"x18")	305 x 610 (12"x24")	228 x 915 (9"x36")	305 x 915 (12"x36")	457 x 457 (18"x18")	915 x 915 (36"x36")	152 x 915 (6"x36")
EVENT SERIES								
CLASSIC STONE		•				•		
TRAVERTINE		•				•		
QUARTZITE		•				•		
SLATE		•				•		
CONTOUR SERIES								
MODERN STONE	•	•	•	•	•	•		
LEGACY STONE	•	•	•	•	•	•		
FOSSIL STONE	•	•	•	•	•	•		
CONCRETE	•	•	•	•	•	•	•	
CATALONA	•	•	•	•	•	•		
VESTIGE	•	•	•	•	•	•		•

Information is subject to change. For additional size options and the most up-to-date specifications, contact your Tandus Centiva account executive.

PACKAGING

EVENT SERIES

 Sizes:
 12"x18"
 18"x18"

 Quantity:
 30 tiles per ctn
 20 tiles per ctn

 45 sq. ft. per ctn
 45 sq. ft. per ctn

Weight: 45 lbs. per ctn 45 lbs. per ctn

CONTOUR SERIES

Sizes:	12"x12"	12"×18"	12"×24"	12"×36"	18"x18"
Quantity:	45 tiles per ctn	30 tiles per ctn	18 tiles per ctn	15 tiles per ctn	20 tiles per ctn
	45 sq. ft. per ctn	45 sq. ft. per ctn	36 sq. ft. per ctn	45 sq. ft. per ctn	45 sq. ft. per ctn
Weight:	45 lbs. per ctn	45 lbs. per ctn	36 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn
Sizes:	6"x36"	9"x36"	36"×36"		
Quantity:	24 tiles per ctn	20 tiles per ctn	10 tiles per ctn		
	36 sq. ft. per ctn	45 sq. ft. per ctn	90 sq. ft. per ctn		
Weight:	36 lbs. per ctn	45 lbs. per ctn	90 lbs. per ctn		

Information subject to change. For additional size options and the most up-to-date specifications, contact your Tandus Centiva account executive.

QUICKSHIP PROGRAM

We know delivery schedules often require floorcovering on short notice. Tandus Centiva's Quickship Program is the only one that offers LVT, Powerbond, modular and broadloom together.

All Event Series products are included in our Quickship Program. The following pages identify the colors in Event Series that are Quickship. You can also visit tandus-centiva.com to search eligible styles.

Q QUICKSHIP

- Ships in 10 business days
- Up to 5,000 sq. ft.
- Event Series: 12"x18", 18"x18"

CLASSIC STONE



OKARA TAN*



PASSION BEIGE MARBLE



COQUINA STONE



OKARA GRAY*



CORDOVAN SANDSTONE*



SERENADE MARBLE



SEAGRASS LIMESTONE



ASH LIMESTONE

TRAVERTINE



NAVONA TRAVERTINE*



ROMAN TRAVERTINE*



TOSCANO TRAVERTINE*



SILVER TRAVERTINE*

QUARTZITE



ROSA QUARTZITE*



MEDITERRANEAN QUARTZITE*



MOROCCAN QUARTZITE*



SWISS QUARTZITE*

SLATE



PUEBLO



CORTEZ GOLD



SACRED ROCK



TUCSON GRAY



CANYON GRAY

^{*}It is recommended to install square tiles quarter-turned for best overall appearance. See examples on pages 11 and 17. Products with an asterisk (*) feature a lineal design and may be quarter-turned or installed in a unidirectional method to achieve desired appearance. See examples on pages 9 and 19.

CATALONA STONE







VERONA*

CENIA* KONA*

MODERN STONE







VALLETA

CMS 0618

VOLGA



PORTO



МОСНА

CMS 0614

CALYPSO



LAGOS



CAMINO



PORTLAND



COSTA



NIKO

^{*}It is recommended to install square tiles quarter-turned for best overall appearance. See examples on pages 11 and 17. Products with an asterisk (*) feature a lineal design and may be quarter-turned or installed in a unidirectional method to achieve desired appearance. See examples on pages 9 and 19.

VESTIGE











CRETE*

SPIRE*

LEGACY STONE













CLASSICO GREY









SANTORINI ARGOS

SANTORINI KAFE

SANTORINI TANDEM

design and may be quarter-turned or installed in a unidirectional method to achieve desired appearance. See examples on pages 9 and 19.

^{*}It is recommended to install square tiles quarter-turned for best overall appearance. See examples on pages 11 and 17. Products with an asterisk (*) feature a lineal

FOSSIL STONE









NEW JOMON ACORN

JORY

CONCRETE









CHINO







RUSSET

SOAPSTONE

METRO

^{*}It is recommended to install square tiles quarter-turned for best overall appearance. See examples on pages 11 and 17. Products with an asterisk (*) feature a lineal design and may be quarter-turned or installed in a unidirectional method to achieve desired appearance. See examples on pages 9 and 19.

PRODUCT COORDINATES - SOFT SURFACE

Tandus Centiva LVT products coordinate with a variety of our soft surface products.



CANE STITCH






METRI



LONGITUDE BREAKOUT

THE ULTIMATE FLOORING EXPERIENCE

Tandus Centiva, a Tarkett company, creates innovative floorcovering solutions through our unique line of Powerbond®, Modular, Broadloom, Woven, LVT and MetalEdge transition products. Each of our product platforms offer coordinated styles, extensive color ranges and a variety of patterns and textures that enhance the appearance of any commercial environment. Tandus Centiva products are also designed to coordinate with a variety of Johnsonite wall base and finishing accessories, providing the Ultimate Flooring Experience across the Tarkett family of brands.



PRODUCT COORDINATES - TRANSITION: METALEDGE COLLECTION

MetalEdge provides a transition solution and finish detail for any commercial space. The following colors have been selected to coordinate with a variety of Tandus Centiva LVT and soft surface products. Please contact your Tandus Centiva account executive for details.





IRONSTONE 00178*




BLACK PEARL 00082*



BRASS 00176*

PRODUCT COORDINATES

The coordination of soft and hard surface products, MetalEdge transition, wall base and accessories from Johnsonite, a Tarkett company, allows for design flexibility and a range of offerings that enables our customers to choose exactly the product they need — moving beyond a product choice to a design solution.



PRODUCT COORDINATES - JOHNSONITE

The following colors have been selected from the Johnsonite palette as complements to Tandus Centiva products. Available in a broad offering of wall base and finishing accessories, each can provide the necessary finishing touches to any commercial space. Please contact your Johnsonite representative for details, 800.899.8916.

, ,	, 3	,	,
69 STERLING SILVER*	38 PEWTER	179 STEEL*	20 CHARCOAL
82 BLACK PEARL*	63 BURNT UMBER	44 DARK BROWN	40 BLACK
27 MIST	194 ANTIQUE WHITE	34 ALMOND	09 CLAY
49 BEIGE	280 SHORELINE	281 GRIZZLY	29 MOON ROCK
150 WETLANDS	283 TOAST	101 SEAWEED	47 BROWN
41 SEA BREEZE	71 STORM CLOUD	92 BLUE LAGOON	168 THUNDER
190 GREEGE	73 PALM LEAF	264 GROUNDED	66 EITHER ORE*
45 SANDALWOOD	261 AUTUMN	76 CINNAMON	284 GANACHE
132 ESPRESSO	113 CHESTNUTTY	85 BURGUNDY	167 FUDGE

^{*}These colors are metallic and may not be accurately represented. Please contact your Johnsonite customer service representative to order samples.



Tandus Centiva

ASTM F1700 Class III Type B

Square (SE) or Slight Bevel (SB)

0.120" (3.0 mm)

32 mil (0.8 mm)

EVENT SERIES CONTOUR SERIES TILE + PLANK

SPECIFICATIONS

ASTM F1700 Class III Type B Classification:

Total Thickness: 0.120" (3.0 mm) Wear Layer Thickness: 30 mil (0.76 mm)

Edge Treatment: Square (SE) or Slight Bevel (B)

Emboss: Standard

Optional Frost FR Fresco FC Quarry QU Frost FR Rock RK Pathway PH Quarry QU

20-Year Limited Commercial Wear Warranty Warranty: 20-Year Limited Commercial Wear Warranty

Colors: 21

TESTING

Materials:

Indoor Air Quality:

ASTM F137 Flexibility: **Passes Dimensional Stability: ASTM F2199** Passes Static Load: ASTM F970 Passes **ASTM F1914** Excellent Residual Indentation:

Flammability: ASTM E648 CRF≥0.45 watts/cm2 NFPA Class 1

Slip Resistance: **ASTM D2047** Passes >0.5 ADA Compliant

Passes <450 DMC Smoke Density: ASTM E662 **ASTM F1515** Excellent Resistance to Light: Excellent Chemical Resistance: ASTM F925 Excellent Resistance to Heat: **ASTM F1514**

ENVIRONMENTAL DATA

Recycled Content: Total 23%; 8% Postconsumer, 15% Preconsumer (Event)

> 13.8% - 27.5% Preconsumer (Contour) No Heavy Metals; Non-Toulene Ink System Meets CDPH Standard Method v1.1-2010;

FloorScore® Certification

Recyclability: 100% Recyclable through our ReStart® Program

LEED Scoreboard:

MRc2 Construction Waste Management

MRc4 Recycled Content MRc5 Regional Materials IEQ 4.1 Low-Emitting Adhesives

IEQ 4.3 Low-Emitting Materials Flooring

Third-party Certification: NSF/AN32 Gold (Contour)

Made in the USA (Contour) Manufacturing:

> ISO 9001 Quality Management System ISO 14001 Environmental Management System

OHSAS 18001 Occupational Health and

Safety Management System

Packaged in recycled, corrugated cardboard Packaging:

LEED v4

MRc2 Building Product Disclosure and Optimization -

Environmental Product Declarations

MRc3 Building Product Disclosure and Optimization -

Sourcing of Raw Materials

MRc5 Construction and Demolition Waste Management

IEQc2 Low-Emitting Materials

Information subject to change. For samples, warranties and the most up-to-date specifications, visit tandus-centiva.com

or call 800.248.2878.

Photos may not accurately depict color. Please order samples for exact product color.

COVER PRODUCT

CONTOUR SERIES STYLE: VESTIGE SPIRE CVE 1016

FOR ADDITIONAL COLORS, SEE PAGE 25.







