



ENSURE
A SAFER STEP

Accessibility
solutions

HETEROGENEOUS
ACOUSTIC VINYL
**Tapiflex
Stairs**



www.tarkett.com

TVOC AT 25 DAYS



THE ULTIMATE
FLOORING EXPERIENCE





Ensure
a safer step

+ DID YOU
KNOW?

**YOU CAN WIN
30% INSTALLATION TIME
WITH TAPIFLEX STAIRS
SELF-ADHESIVE VERSION**

- Easier, quicker and cleaner installation
- Immediate setting in traffic
- Available in 5 colours

Create safe spaces

with our stairs solutions and accessibility package

Buildings need to enhance the accessibility and safety for all users, to ensure the autonomy and comfort of elderly, disabled or visually impaired people.

Tarkett's comprehensive accessibility package lets you design aesthetic solutions that respect safety standards and provide easy to install solutions to guide, orientate and alert people via simple underfoot signage.

CUSTOM FLOOR DESIGN

- Explore Tarkett's Floorcraft Service of decorative elements for flooring:
 - An extensive database of designs
 - Options that can be tailored to suit colour schemes
 - The opportunity to develop your own logos or designs

GUIDANCE AND SAFETY

- Secure the movement of visually impaired people with fully coordinated accessibility options:
 - Full range of warning tiles for different requirements: square, rectangular and self-adhesive versions for easier installation
 - Ready-to-use podotactile studs to be inserted directly into flooring
 - Tactile strips to provide pathways in various formats

FULLY COORDINATED STAIRS SOLUTION

- Ensure safety with specially designed ridges to increase slip resistance
- Find the perfect match among 200 original colours and decors of our Essential, Excellence and Evolution collections
- Choose greater contrast references for higher visibility when needed
- Select your installation option between classic glued and new self-adhesive versions
- Provide underfoot comfort and reduce noise with elastic foam backing
- Ease maintenance and increase durability with highly resistant 1mm pure PVC wear layer




Finish your project

with our comprehensive range of accessibility options and accessories⁽¹⁾

4 FLOORCRAFT SERVICE

Design service offering a comprehensive range of standards elements and logos that can be directly incorporated into our floor coverings to create signage.

- Wide range of standards designs - tailored on demand to suit the colour schemes for individual projects
- Opportunity to develop your own logos and designs, such as a logo for a hospital entrance or a special design for a pediatric waiting room



(1) Compliant with regulation NFP 98351

3 TACTILE GUIDE STRIPS



- Vinyl / polyurethane tactile strip guides for visually impaired people to help finding their way
- To be positioned in front of welcome desks or specific access
- To contrast with surrounding floorings to ensure clear visibility
- Self-adhesive versions for easy installation
- 3 different sizes to meet various buildings sizes
- Tactile strip : wide version
- Linear strip: white stick follows channel
- Vibration strip: white stick vibrates when carried onto the surface

Tactile Strip

Snow White 1440 001	Charcoal 1440 020	Grey Haze 1440 024	Black 1440 040	Brown 1440 047

Linear & Vibration Strip

White 1440 250	Grey 1440 251	Black 1440 252	Ivory 1440 253	Red 1440 254	Yellow 1440 255
Linear strip 1440 150	Vibration strip 1440 151				




1 STAIRS CORNERS

Corners designed to form a neat and attractive edge around the open end of a step by concealing the edge of the floor covering and stair edging. Colour combination with PVC stair nosing.

SB1: Inside stair corner

Used to protect the bottom of the wall alongside the staircase





SB1 - inside

SB1 inside

Black	Medium grey	Light grey	Silver grey	Delivery
RAL: 1500	RAL: 5000	RAL: 7500	RAL: 8500	20 units per box
NCS: S 9000 N	NCS: S 5502 B	NCS: S 3000 N		
1432 004	1432 005	1432 006	1432 007	

SB2: Outside stair corner


Used to protect the edge of the floor covering and to hide it



SB2 - outside



SB2 outside

Black	Medium grey	Light grey	Silver grey	Delivery
RAL: 1500	RAL: 5000	RAL: 7500	RAL: 8500	20 units per box
NCS: S 9000 N	NCS: S 5502 B	NCS: S 3000 N		
1433 004	1433 005	1433 006	1433 007	



2 TACTILE WARNING TILES

- Rubber & polyurethane guides for visually impaired people to recognize change in level
- To be positioned 50cm above and below stairs to signify danger area
- 5mm studs for better recognition
- 3 different versions to match building configurations, including rectangular and square self-adhesive tiles for easier installation





3D STUDS

- Ready-to-use podotactile studs to inserted directly into flooring
- Self-adhesive for easy installation
- Should contrast with flooring colours to ensure clear visibility

3D Studs

White	Grey	Black	Ivory	Red	Yellow
1440 050	1440 051	1440 052	1440 053	1440 054	1440 055



Warning Tile

White	Black	Light Grey	Yellow	Red
1431 001	1431 002	1431 003	1431 006	1431 007

Self-adhesive Rectangular Tile & Square Tile





















































































White	Grey	Black	Ivory	Red	Yellow
Rectangular Tile	1440 350	1440 351	1440 352	1440 353	1440 354
Square Tile	1440 450	1440 451	1440 452	1440 453	1440 455

Find the perfect match

CONTRAST RATE	TAPIFLEX STAIRS	PERFECT MATCH WITH TAPIFLEX ESSENTIAL & EXCELLENCE	POSSIBLE MATCH WITH TAPIFLEX ESSENTIAL, EXCELLENCE & EVOLUTION				
65%	SECURITY Yellow Grey 25061 002 25008 002*	UNI Night Blue MATRIX² Night Blue	ESSENTIAL		EXCELLENCE MATRIX² Lemon Yellow	EVOLUTION	
44%	Grey Purple 25061 112	UNI Aubergine		TISSE Grey Beige	UNI Mint Grass Green Medium Grey MATRIX² Graphite Aubergine SKETCH Green	CANDY Grey Dark Blue	
58%	Alu 25062 105 25071 105*			TISSE Light Green	UNI Orange Red MATRIX² Orange Red Red Phospho SKETCH Grey Blue	CANDY Grey Fresh Blue Mint PASTILLE Medium Grey	
65%	UNI Dark Grey 25061 104 25008 104*	UNI Dark Grey	ESSENTIAL	TISSE Cardinal Red Lemon Yellow	EXCELLENCE UNI Aubergine Lemon Yellow MATRIX² Lemon Yellow	EVOLUTION SALT & PEPPER Dark Grey SPAGHETTI XXL White Black PASTILLE Dark Grey	
65%	Blue 25061 113	UNI Medium Blue			UNI Green Dark Grey Dark Blue SKETCH Blue Green	UNI Fresh Green Dark Blue CANDY Tangerine Aubergine	
75% SECURITY +	Medium Beige 25061 114	UNI Dark Beige		TISSE Lime Green	VARIO Brown MATRIX² Dark Beige SKETCH Red	SPICE Dark Beige Dark Warm Beige	
81% SECURITY +	CONCRETE Cool Grey 25061 000	CONCRETE Cool Grey	ESSENTIAL	TISSE Light Green Mint	EXCELLENCE UNI Pink Dark Grey Mint MATRIX² Grass Green Marine Blue Pink	EVOLUTION CANDY Fresh Blue Dark Blue Aubergine	

*Self Adhesive

These combinations are given as example.

CONTRAST RATE	TAPIFLEX STAIRS	PERFECT MATCH WITH TAPIFLEX ESSENTIAL & EXCELLENCE	POSSIBLE MATCH WITH TAPIFLEX ESSENTIAL, EXCELLENCE & EVOLUTION			
45%	 25061 014 25008 014*	ESQUISSE Medium Grey			UNI  Medium Blue  Aubergine  Green Grass  Pink  Medium Grey	SPAGHETTI  Fresh Blue  Sunny Yellow  Tangerine  Green
59%	 25061 015 25008 015*	ESQUISSE Dark Grey	ESSENTIAL  Light Green  Orange  Red	EXCELLENCE UNI  Orange Red  Cardinal Red  Medium Blue  Medium Grey  Lemon Yellow  Green Grass  Pink MATRIX²  Orange Red SKETCH  Purple Mint  Purple	EVOLUTION CANDY  Fresh Blue  Sunny Yellow  Green  Mint	
81% SECURITY +	 25061 013	EFFECT Cool Grey	ESSENTIAL TISSE  Light Green  Mint	EXCELLENCE UNI  Aubergine  Green Grass  Pink  Medium Grey	EVOLUTION SPAGHETTI  Fresh Blue  Sunny Yellow  Tangerine  Green	
82% SECURITY +	 25061 010	EFFECT Beige	ESSENTIAL EFFECT  Terracotta TISSE  Cardinal Red	EXCELLENCE UNI  Cardinal Red ESQUISSE  Grey Beige	EVOLUTION SPICE  Medium Beige  Dark Beige	
35%	 25061 024	KRAFT Cool Grey		EXCELLENCE KRAFT  Light Purple  Medium Purple  Blue  Light Blue  Dark Purple	EVOLUTION HAVANE  Cold Grey  Light Cold Grey	
74% SECURITY +	 25061 023	KRAFT Blue Green		EXCELLENCE UNI  Green  Medium Grey  Very Light Beige KRAFT  Yellow Beige SKETCH  Green	EVOLUTION SPICE  Grey Beige  Light Warm Beige HAVANE  Dark Chocolate	
79% SECURITY +	 25061 022	KRAFT Dark Warm Grey		EXCELLENCE KRAFT  Red  Yellow  Orange  Blue Green		
81% SECURITY +	 25061 026	KRAFT Yellow Beige		EXCELLENCE UNI  Green KRAFT  Blue Green	EVOLUTION SALT & PEPPER  Grey Beige HAVANE  Sand  Grey Beige	
70% SECURITY +	 25061 100	LONG MODERN OAK Natural		EXCELLENCE LONG MODERN OAK  Brown  Natural Brown	EVOLUTION SPICE  Warm Beige  Dark Warm Beige	
75% SECURITY +	 25061 101	LONG MODERN OAK White	ESSENTIAL	EXCELLENCE LONG MODERN OAK  Black	EVOLUTION SALT & PEPPER  Grey Beige  Sand SPICE  Dark Beige	

Tapiflex Stairs

Specification

Printed acoustic vinyl floorcovering with high density foam backing on a glass fibre stabilized carrier, filler free wear layer. PUR reinforcement. Product standard : ISO 10582.

CERTIFICATION & CLASSIFICATION	STANDARDS	Tapiflex Stairs and Tapiflex Stairs Self-adhesive
Type of floorcovering	EN 11638 - EN651	Heterogeneous Acoustic Vinyl
Wear layer binder content	ISO 10582	Type I
CE Certification	EN 14041	Yes
Classification	ISO 10874 - EN 685	Commercial very heavy: 34 - Industrial: 43
TECHNICAL CHARACTERISTICS	STANDARDS	Tapiflex Stairs and Tapiflex Stairs Self-adhesive
Surface Treatment		TopClean XP™
Total thickness	ISO 24346 - EN 428	3.50 mm
Wear layer thickness	ISO 24340 - EN 429	1.0 mm
Total weight	SO 23997 - EN 430	3 670 g/m ²
Form of delivery	ISO 24344 - EN 426 Sheet (rolls)	approx. 23 running meters x 102 cm
TECHNICAL PERFORMANCES	STANDARDS	Tapiflex Stairs and Tapiflex Stairs Self-adhesive
Dimensional stability	ISO 23999 - EN 434	< 0.10%
Reaction to fire	EN 13501-1	B _{fl} s1 glued over any A2 _{fl} or A1 _{fl} substrate (concrete) C _{fl} s1 glued over any derivative wood substrate
Curl resultant to heat	ISO 23999 - EN 434	≤ 8 mm
Residual indentation	ISO 24343-1 - EN 433	Required value: ≤ 0.20 mm Average measured value: ≤ 0.20 mm
Impact sound reduction	EN ISO 140-8 EN ISO 717-2	ΔL _w 18 dB
Acoustical Improvement	NF S31-074	L _{n,e,w} < 65 dB - Class A
Castor wheel test	ISO 4918 - EN 425	No damage
Furniture leg	EN 424	No damage
Electrostatic properties	EN 1815 EN 1081	≤ 2 kV on concrete R1 > 10 ⁹ Ω
Total VOC emissions	AgBB/DIBt	≤ 10 µg/m ³ (after 28 days)
Thermal resistance Underfloor heating	EN 12667	0.04 m ² K/W Suitable
Light fastness	EN ISO 105-B02	≥ 6
Chemical resistance	ISO 26987 - EN 423	High resistance
Hygiene		Does not contribute to infection spreading
Slip resistance	DIN 51130 EN 13893	R9 ≥ 0,3
Colours		17

The above information is subject to modification for the benefit of further improvement. (05/14).

CUSTOMS TARIFF : 482050000000F

Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

Our Sustainability tag explains the content of our products and how they contribute to our sustainability strategy and human well-being.



■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett France Belux – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 416 68 54 91 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett France SAS, org. slozka – Tel. +420-271 001 602 ■ Hungary: Tarkett France SAS – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o. o. – Tel. +48 22 639 31 68 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett France SAS, org. zlozka – Tel. +421 248 291 317 ■ South East Europe: Tarkett Trade d.o.o. – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur – Tel. 54 11 47 08 07 72 / 54 9 11 44 46 88 82 ■ Colombia - Panama - Bolivia - Ecuador - Paraguay - Peru - Trinidad and Tobago: Tarkett – Tel. 55 11 9 8410 9310 ■ Mexico / Central America: Tarkett Latam Mexico – Tel. 52 735 392-3948