



CREATE
STIMULATING
ENVIRONMENTS



HETEROGENEOUS
ACOUSTIC VINYL

**Tapiflex
Excellence
65**

HETEROGENEOUS
COMPACT VINYL

**Acczent
Excellence
80**



 **Tarkett**

THE ULTIMATE
FLOORING EXPERIENCE



Over the years, Tarkett's vinyl floorings have been the leading choice for architects and facility owners to design inspirational and high performance interior environments. Whether in schools, health and aged care facilities the user needs create a range of challenges all of which impact how spaces are designed and built.

The new Excellence heterogeneous vinyl collection is created with a holistic approach to the fundamental concepts of project design: colour and design coordination, integrated finishing, functional performance and eco-design.



TABLE OF CONTENTS

- 4** Create adapted,
inspiring & unique interiors
- 6** The **warmth** of **wood**
- 8** Preserve **people's health**
& well-being
- 10** Make it **easy** and **save time.**
Choose the **all-inclusive** solution
- 12** **Create safe spaces** with our stairs
solutions and accessibility package
- 14** Select a **product**
with an **optimal life cycle**
- 16** **Excellence** collection
- 24** Coordination in **every detail**
- 26** A range of **coordinated welding** rods



Create adapted, inspiring & unique interiors

Excellence brings you the widest combination of over 117 colour and wood designs in compact and acoustic floorings, for a harmonised project design (both aesthetic and functional). This creates a more personalised learning and living environment through a coordinated selection adapted to age and setting.

Timeless ambiances with easy to combine designs

- Re-invent your project with a large colour and design palette
- **87 all-over colours** from vivid primaries to warm neutrals and pastels and **30 woods** from classic to modern
- An evolution of colours as user needs change through ageing
- **Easy combination and coordination** across entire collection

Bring functionality to spaces and favour learning environments

- **Structure spaces** and guide with colours, contrasts and Floorcraft patterns
- Use colours to create **stimulating or cocooning atmospheres**
- Choose light reflectance value for users' comfort and energy savings





L DID YOU KNOW?

Light and bright floorings offering good light reflection values (LRV) can create luminous rooms and trigger energy savings.



The warmth of wood

For a home-like atmosphere, Excellence offers 30 wood designs that create an intimate 'at home' ambiance in living spaces. With this collection you can have enhanced spaces that are easy to keep clean. And with the unique details of our accessories along with our surface finish, Excellence floors offer a genuine sensation.

Enhance your spaces

- **Unique long wood plank** designs (1500 and 1333 mm) in roll format
- Wood designs with a variety from rustic planks to classical 3-strips, all in different colours

Provide an authentic feeling

- **New matt finish** for a natural look
- New embossing providing a realistic wood ambience

Make no compromise on hygiene

- Combining the beauty of wood with excellent cleaning properties; practical roll format with less joints
- Strong PUR surface for easy maintenance; no wax nor polish required

Take care of details

- Unique **multi-colour welding rods** to optimize visual impact with our wood collection
- **Pre-formed skirtings & outside corners** for an enhanced aesthetical experience





DID YOU KNOW?

Colours and patterns appear to perform an important function in how Alzheimer's patients perceive their environment:

- pastel & soft tones can encourage a sense of well-being and help to create reassuring settings.
- red and dark colours can be used to establish forbidden perimeters for risk areas.




Preserve people's health & well-being

Excellence is part of Tarkett's commitment to design functional products that minimise impact on the environment and contribute to people's healthy living and working environments.

Improved indoor environment

Excellence has been designed around **two major eco-innovations:**

- **Phthalate free technology⁽¹⁾:** is progressively introduced to the new Excellence range during 2014. The new plasticiser is approved for use in food packages and in toys for small children
- **Total VOC emissions below 10 µg/m³:** (more than 100 times lower than the European standard EN-ISO 16000)



Favour good acoustic environment

- **19 dB impact sound reduction and 13 dB drum sound reduction:** less in-room noise & less fatigue gives better learning conditions in schools
- **Stable construction with improved impact resistance:** low rolling resistance for wheel chairs, trolleys and hospital beds
- **6% shock absorption:** higher energy restitution for better walking comfort





DID YOU KNOW?

Impact sound reduction is the flooring's ability to reduce noise from footsteps to the rooms below. Drum sound reduction is the flooring's ability to reduce noise from footsteps in the same room. In schools and healthcare facilities the drum sound reduction is often more important than impact sound reduction.



Make it **easy** and **save time**: Choose the **all-inclusive** solution

Tarkett has designed the Excellence collection to provide an integrated solution for every aspect of educational and healthcare project design – from flooring to wall protection and wetroom concepts. That means perfect design matching in compact or acoustic flooring from corridors, to classrooms, treatment rooms or living areas.

Floor options

- Compact or acoustic flooring where comfort matters
- Tiles offer for small areas or offices
- Loose lay solution for easy and economical installation & removal (Acczent Unik)
- Tapiflex Stairs
- Tarkoprotect top film protection

Wall options

- ProtectWALL
- Aquarelle Wall

Accessories options


- Pre-formed skirtings for corridors
- Add-on skirtings for rooms

Accessibility options

- Warning Tiles
- Tactile Strip

Ornamental finishing options

- Floorcraft






DID YOU KNOW?

Most corridor areas involve time-consuming installation with a welding rod every 2 meters – a frequent source of soiling.

2*0.1m (or 2*0.2m) pre-formed skirtings enable you to install floors lengthwise in 2.2m (or 2.4m) wide corridors so that:

- welding rods are away from the central traffic zone => less soiling
- contrasted pre-formed skirtings can be chosen for guidance.





Create safe spaces with our stairs solutions and accessibility package

Buildings need to enhance the accessibility and safety for all users, to ensure the autonomy and comfort of elderly, disabled or visually impaired people. Tarkett's comprehensive accessibility package lets you design aesthetic solutions that respect safety standards and provide easy to install solutions to guide, orientate and alert people via simple underfoot signage.

Fully coordinated stairs solution

2 solutions available: Glued Tapiflex Stairs and new Self-Adhesive Tapiflex Stairs

- Find the perfect match among 200 original colours and decors of our Essential, Excellence and Evolution collections
- Choose greater contrast references for higher visibility when needed
- Provide underfoot comfort and reduce noise with elastic foam backing
- Ensure safety with specially designed ridges to increase slip resistance
- Ease maintenance and increase durability with highly resistant 1mm pure PVC wear layer

Guidance and safety with new accessories

Secure the movement of visually impaired people with fully coordinated accessibility options:

- Full range of warning tiles for different requirements: square, rectangular and self-adhesive versions for easier installation
- Ready-to-use podotactile studs to be inserted directly into flooring
- Tactile strips to provide pathways in various formats





DID YOU KNOW?

Tarkett offers you custom floor design with Floorcraft service:

- extensive database of designs
- options that can be tailored to suit colour schemes
- the opportunity to develop your own logos and designs



Select a product with an optimal life cycle

Floorings in schools and aged care facilities have to meet a wide variety of daily demands such as resistance, durability, easy maintenance, safety and acoustic comfort. With its compact and acoustic options, the Excellence collection is designed to provide a flooring solution for the functional requirements of every area.

Long-lasting good looking floor

- **XP™ surface treatment:** hard-wearing surface to withstand heavy traffic and daily wear and tear
- **Improved 0.08mm indentation*** on acoustic offer: less marks left by heavy loads
- **No rubber marks** left after a long & continuous rubber pad pressure (e.g chairs in classrooms)

Easy cleaning & maintenance

- **Easy regular maintenance routine:** smooth surface rendering requiring no wax nor polish
- **Reduced use of water, energy and chemical detergents** needed for maintenance


Designed to save resources in the long term

- Excellence collection and manufacturing processes are developed along the principles of a circular economy for the ongoing use of materials:



*best measured value





DID YOU KNOW?

8:92 is the average ratio between the cost of buying and installing a floor compared to the cost of maintaining it during 20 years in a public area like a school or hospital. To invest in a flooring with good maintenance properties will save you a lot of money in the long run.



**EXCELLENCE
COLLECTION WOOD**




Long Modern Oak - Grege

Saw Oak - Black

Long Modern Oak



White
Acoustic: 25018 005
Compact: 25029 005



Black
Acoustic: 25018 006
Compact: 25029 006



Natural
Acoustic: 25018 010
Compact: 25029 010



Natural Brown
Acoustic: 25018 009
Compact: 25029 009



Brown
Acoustic: 25018 007
Compact: 25029 007



Grege
Acoustic: 25018 008
Compact: 25029 008

Saw Oak



Beige
Acoustic: 25018 014
Compact: 25029 014



Natural
Acoustic: 25018 015
Compact: 25029 015



Black
Acoustic: 25018 016
Compact: 25029 016

Vintage Pine



Light
Acoustic: 25018 003
Compact: 25029 003



Dark
Acoustic: 25018 004
Compact: 25029 004

Farmhouse



Warm Grey
Acoustic: 25018 000
Compact: 25029 000



Natural
Acoustic: 25018 001
Compact: 25029 001



Light Beige
Acoustic: 25018 002
Compact: 25029 003




All-over Wood - Black

All-Over Wood



Grege




Brown



Black

Strip Oak




Natural




Brown

Walnut




Natural



Dark

Cabreuva




Red

Washed Oak



White



Natural

Oak




Light




Brown

Brushed Oak



Light



Medium

Beech



Light



Maple



EXCELLENCE COLLECTION *FERUM / CONCRETE / VARIO / ESQUISSE*



Ferum - Steel Blue / Concrete - Chalk


Ferum



Rost



Steel Blue



Dark Grege



Grey

Concrete




Chalk



Grey Beige



Dark Brown



Grey



Cool Grey



Warm Grey



Dark Grey

Acoustic: 25014 003
Compact: 25026 003

Acoustic: 25014 002
Compact: 25025 002
Unik: 25070 002*

Acoustic: 25014 001
Compact: 25026 001
Unik: 25055 001

Acoustic: 25011 002
Compact: 25025 002
Unik: 25070 002*

Acoustic: 25011 003
Compact: 25025 003
Unik: 25070 003*

Acoustic: 25011 005
Compact: 25025 005

Acoustic: 25011 000
Compact: 25025 000
Unik: 25070 000*

Acoustic: 25011 004
Compact: 25025 004

Acoustic: 25011 001
Compact: 25025 001



Vario - Yellow / Blue



Vario




Acoustic: 25015 008
Compact: 25027 008



Acoustic: 25015 004
Compact: 25027 004
Acoustic: 25057 004



Acoustic: 25015 006
Compact: 25027 006
Acoustic: 25057 006



Acoustic: 25015 003
Compact: 25027 003



Acoustic: 25012 009
Compact: 25027 009
Acoustic: 25057 009



Acoustic: 25015 005
Compact: 25027 005
Acoustic: 25057 005



Acoustic: 25015 000
Compact: 25027 000



Acoustic: 25015 007
Compact: 25027 007



Acoustic: 25015 001
Compact: 25027 001



Acoustic: 25015 002
Compact: 25027 002

Esquisse - Grey Beige


Esquisse



Acoustic: 25012 012
Compact: 3751 012
Acoustic: 4502 012




Acoustic: 25012 013
Compact: 3751 013
Acoustic: 4502 013



Acoustic: 25012 014
Compact: 3751 014
Unik: 25071 014*
Acoustic: 4502 014



Acoustic: 25012 017
Compact: 3751 017



Acoustic: 25012 015
Compact: 3751 015
Acoustic: 4502 015



EXCELLENCE COLLECTION KRAFT / SKETCH / MEMO



Kraft - Light Purple

Kraft



Beige



Light Beige



Acoustic: 25014 010
Compact: 25026 010



Warm Grey



Cool Grey



Blue



Dark Cool Grey




Dark Purple



Acoustic: 25014 018
Compact: 25026 018



Acoustic: 25014 019
Compact: 25026 019



Acoustic: 25014 017
Compact: 25026 017



Blue Green



Yellow Green



Acoustic: 25014 016
Compact: 25026 016



Acoustic: 25014 006
Compact: 25026 006



Orange



Cardinal Red



Acoustic: 25014 004
Compact: 25026 004




Light Blue

Acoustic: 25014 020
Compact: 25026 020



Sketch - Blue


Sketch



Green Red



Grey



Blue

Acoustic: 25012 022
Compact: 3751 022

Acoustic: 25012 023
Compact: 3751 023

Acoustic: 25012 024
Compact: 3751 024



Green



Red




Purple

Acoustic: 25012 025
Compact: 3751 025

Acoustic: 25012 038
Compact: 3751 038

Acoustic: 25012 026
Compact: 3751 026



Purple Mint

Acoustic: 25012 021
Compact: 3751 021



Memo - Black / Sketch - Grey

Memo



Black

Acoustic: 25017 001
Compact: 25028 001



White

Acoustic: 25017 000
Compact: 25028 000



Sketch - Green Red / Uni - Orange Red


Matrix²



Very light Beige
Acoustic: 25012 028
Compact: 3751 028



Dark Beige
Acoustic: 25012 027
Compact: 3751 027



Phospho
Acoustic: 4514 101
Compact: 25032 101



Dark Grey
Acoustic: 25012 135
Compact: 3751 019



Graphite
Acoustic: 25012 000
Compact: 3751 000

Uni



Very Light Beige
Acoustic: 25016 007
Compact: 4601 007



Dark Beige
Acoustic: 25016 018
Compact: 4601 018



Medium Grey
Acoustic: 25016 017
Compact: 4601 017




Warm Grey
Acoustic: 25016 025
Compact: 4601 025




Dark Grey
Acoustic: 25016 016
Compact: 4601 016


Matrix²



Green
Acoustic: 25012 032
Compact: 3751 032



Grass Green
Acoustic: 25012 035
Compact: 3751 035



Lemon Yellow
Acoustic: 25012 030
Compact: 3751 030



Cardinal Red
Acoustic: 25012 003
Compact: 3751 003

Uni



Green
Acoustic: 25016 002
Compact: 4601 002



Grass Green
Acoustic: 25016 009
Compact: 4601 009



Lemon Yellow
Acoustic: 25016 019
Compact: 4601 019




Matrix² - Medium Blue / **Uni** - Medium Blue


Matrix²




Night Blue




Marin Blue



Medium Blue



Mint



Aubergine

Uni



Night Blue



Dark Blue



Medium Blue



Mint



Aubergine


Matrix²




Orange Red



Red



Rosa




Cardinal Red

Uni



Orange Red




Dark Red



Rosa




COORDINATION IN EVERY DETAIL



WELDING RODS


Secures the junction between 2 rolls of flooring or wall and floor coverings.
See pages 26-27 for matching colours.



SET-ON SKIRTING

KS 61: PVC semi-rigid skirting for decorative use.


Article code: 1411 + colour code



Alternative:

IS 60: Rigid skirting made on MDF support. Floor covering to be inserted for perfect colour matching. To be glued.

Medium Grey: 1448 000 - Light Grey: 1448 001 - White: 1448 000



EXPANSION JOINT

Expansion joint sections offer a perfect solution to avoid tear or dish from screed.



PROTECTWALL & CAP

PROTECTWALL: Protects the wall from impacts.

CAP: Provides a perfect finish and protects the edge of the wall covering.

TARKOPROTECT

Easy to use self-adhesive solution to protect Tarkett floorcoverings before traffic: absorbs shocks, waterproof, and reduces scratches. Available in white in 2 versions:

Tarkoprotect 180: 24990 000

Weight: 180g/m²

Ordering unit: 1 roll 1mx50lm

Tarkoprotect 240 : 24991 000

Weight: 240g/m²

Ordering unit: 1 roll 1mx25lm



Alternative:
Flexible PVC stair nosing. Cut to size on site and fixed with adhesive before floor covering.

TAPIFLEX STAIRS

Coordinated vinyl stair solution to offer safety and noise reduction in all buildings.

NEW: also available in auto-adhesive version



TACTILE STRIP


Specially designed for visually impaired people to help finding their way with blind stick.

Available in various formats and colours.

Tactile guide: 1440 / 1497 + colour code

Linear strip SA: 1440 250

Vibration strip SA: 1440 150



WARNING TILE


Helps recognize a change in level for visually impaired people, in accordance with regulatory requirements.

Available in various formats and colours.

Pododactile square tile SA: 1440 450

Pododactile rectangle tile SA: 1440 350

Pododactile studs SA : 1440 050



PRE-FORMED SKIRTING

Preformed set-in skirting made of PVC flooring, reinforced with polymere on backside. Welded to the floor covering and glued to the wall.

60/80/100 x 100/200 x 2 400mm.

Available on request with all colours

Art codes: Acoustic

100 x 100mm: 26611

100 x 80mm: 26612

100 x 60mm: 26613

Compact 200 x 100mm: 26632

100 x 100mm: 26614


100 x 80mm: 26615

100 x 60mm: 26616

Alternative:

PVC cove former: PA 20: 1441 000 - PA30: 1442 000

PA40: 26618 001



TRANSITION PROFILE

Used to join different floorings of the same or slightly different heights.

TPP:Dark grey: 1452 000

Light grey: 1452 001

White: 1452 002





A RANGE OF COORDINATED WELDING RODS

	Colour name	Colour code	NCS	Welding rod Plain	Welding rod Multicolour	Corresponding skirting KS61
SKETCH	Purple Mint	3751 021	S 4502-B	1291 928	—	1411 007 or 012
	Green Red	3751 022	S 3502-Y	1287 524	—	1411 007 or 012
	Grey	3751 023	S 2502-B	1287 648	—	1411 007 or 012
	Blue	3751 024	S 3040-R90B	1287 172	—	1411 038
	Green	3751 025	S 2050-G40Y	1287 493	—	1411 007 or 012
	Purple	3751 026	S 5030-R30B	1287 161	—	1411 029
	Red	3751 038	S 2060-Y80R	1287 140	—	1411 019
MATRIX ²	Graphite	3751 000	S 7005-R80B	1288 327	—	1411 009
	Cardinal Red	3751 003	S 6020-R	1287 521	—	1411 007 or 012
	Rosa	3751 006	S 2030-R10B	1287 141	—	1411 007 or 012
	Dark Grey	3751 019	S 5502-R	1291 788	—	1411 007 or 012
	Dark Beige	3751 027	S 4005-Y20R	1287 497	—	1411 013
	Very Light Beige	3751 028	S 3005-G80Y	1287 643	—	1411 027
	Orange Red	3751 029	S 2060-Y70R	1287 140	—	1411 007 or 012
	Lemon Yellow	3751 030	S 2050-Y10R	1287 315	—	1411 028
	Aubergine	3751 031	S 4030-R30B	1287 161	—	1411 029
	Green	3751 032	S 5020-G50Y	1287 305	—	1411 034
	Mint	3751 033	S 3030-B10G	1287 641	—	1411 044
	Medium Blue	3751 034	S 3050-R90B	1287 172	—	1411 038
	Grass Green	3751 035	S 2050-G30Y	1287 644	—	1411 033
	Marin Blue	3751 036	S 5030-R80B	1287 307	—	1411 007 or 012
	Night Blue	3751 037	S 7010-R90B	1287 642	—	1411 037
	Red	3751 148	S 2060-Y90R	1287 463	—	1411 019
ESQUISSE	Phospho	25032 101	S 3000-N	1287 523	—	1411 011
	Grey Beige	3751 012	S 2002-Y50R	1287 279	—	1411 027
	Light Grey	3751 013	S 4502-Y	1294 071	—	1411 007 or 012
	Medium Grey	3751 014	S 6000-N	1287 394	—	1411 009
	Dark Grey	3751 015	S 7000-N	1287 167	—	1411 008
VARIO	Light Chocolate	3751 017	S 6005-Y50R	1287 458	—	1411 013
	Green	25027 000	S 6005-G20Y	1287 659	—	1411 007 or 012
	Yellow	25027 001	S 3050-Y10R	1287 430	—	1411 028
	Red	25027 002	S 4040-R	1287 455	—	1411 018
	Brown	25027 003	S 8005-Y50R	1287 013	—	1411 014
	Beige	25027 004	S 3005-Y20R	1287 178	—	1411 007 or 012
	Cool Grey	25027 005	S 6005-G20Y	1288 301	—	1411 007 or 012
	Light Brown	25027 006	S 6005-Y20R	1287 433	—	1411 013
	Blue	25027 007	S 7010-R90B	1287 409	—	1411 007 or 012
	Light Beige	25027 008	S 2500-N	1288 303	—	1411 012
MEMO	Light Cool Grey	25027 009	S 3502-B	1292 447	—	1411 007 or 012
	White	25028 000	S 1005-R	1292 801	—	1411 007 or 012
KRAFT	Dark Blue	25028 001	S 7010-R90B	1287 527	—	1411 037
	Red	25026 004	S 3050-Y90R	1288 376	—	1411 018
	Yellow Green	25026 005	S 3040-G70Y	1287 464	—	1411 007 or 012
	Yellow	25026 006	S 2050-Y	1287 661	—	1411 028
	Dark Cool Grey	25026 007	S 5502-B	1291 216	—	1411 009
	Beige	25026 008	S 3010-Y	1287 443	—	1411 007 or 012
	Light Beige	25026 009	S 3005-Y20R	1287 402	—	1411 012
	Warm Grey	25026 010	S 4502-Y	1287 254	—	1411 007 or 012
	Dark Warm Grey	25026 011	S 4502-Y	1288 388	—	1411 007 or 012
	Cardinal Red	25026 012	S 6020-R	1287 020	—	1411 007 or 012
	Cool Grey	25026 013	S 4005-R80B	1291 928	—	1411 010
	Orange	25026 014	S 3040-Y60R	1291 861	—	1411 007 or 012
	Blue Green	25026 015	S 4020-G50Y	1287 588	—	1411 034
	Yellow Beige	25026 016	S 2030-Y	1287 658	—	1411 007 or 012
	Light Purple	25026 017	S 4020-R50B	1287 081	—	1411 031
	Medium Purple	25026 018	S 5020-R60B	1287 485	—	1411 007 or 012
	Blue	25026 019	S 5005-Y20R	1287 512	—	1411 041
	Light Blue	25026 020	S 3020-R80B	1287 252	—	1411 007 or 012
	Dark Purple	25026 021	S 7005-R80B	1287 662	—	1411 007 or 012



	Colour name	Colour code	NCS	Welding rod Plain	Welding rod Multicolour	Corresponding skirting KS61
FERUM	Dark Grege	25026 000	S 6005-Y20R	1287 546	—	1411 013
	Light Beige	25026 001	S 2005-Y30R	1287 402	—	1411 027
	Steel Blue	25026 002	S 6500-N	1287 077	—	1411 008
	Rost	25026 003	S 5020-Y40R	1287 032	—	1411 022
STEEL	Grey	3764 001	S 4500-N	1287 454	—	1411 007 or 012
CONCRETE	Cool Grey	25025 000	S 3502-R	1287 254	—	1411 010
	Dark Grey	25025 001	S 6502-Y	1297 647	—	1411 008
	Chalk	25025 002	S 2005-Y50R	1291 214	—	1411 007 or 012
	Grey Beige	25025 003	S 3005-Y20R	1291 839	—	1411 007 or 012
	Warm Grey	25025 004	S 6005-Y20R	1287 537	—	1411 007 or 012
	Dark Brown	25025 005	S 8005-Y20R	1287 660	—	1411 014
UNI	Orange Red	4601 000	S 2060-Y70R	1287 646	—	1411 007 or 012
	Medium Blue	4601 001	S 3050-R90B	1287 547	—	1411 038
	Green	4601 002	S 5020-G50Y	1287 305	—	1411 034
	Mint	4601 003	S 3030-B10G	1288 306	—	1411 044
	Aubergine	4601 004	S 4030-R30B	1287 645	—	1411 029
	Very Light Beige	4601 007	S 6005-G80Y	1287 643	—	1411 027
	Night Blue	4601 008	S 7010-R90B	1287 527	—	1411 037
	Grass Green	4601 009	S 2050-G30Y	1287 644	—	1411 007 or 012
	Dark Red	4601 010	S 2070-Y90R	1287 030	—	1411 019
	Pink	4601 014	S 5040-R10B	1287 141	—	1411 007 or 012
	Cardinal Red	4601 015	S 6020-R	1287 521	—	1411 007 or 012
	Dark Grey	4601 016	S 6020-R80B	1288 327	—	1411 009
	Medium Grey	4601 017	S 3502-B	1288 341	—	1411 011
	Dark Beige	4601 018	S 4005-Y20R	1287 497	—	1411 007 or 012
	Lemon Yellow	4601 019	S 2050-Y10R	1287 315	—	1411 028
	Warm Grey	4601 025	S 5500-N	1287 394	—	1411 007 or 012
	Dark Blue	4601 029	S 6020-R80B	1287 580	—	1411 039
OAK	Light	25030 001	S 3030-Y20R	1287 505	1290 187	1411 007 or 012
BEECH	Light	25030 002	S 3020-Y20R	1294 315	—	1411 007 or 012
MAPLE	Maple	25030 005	S 2020-Y10R	1287 431	—	1411 025
WASHED OAK	White	25030 017	S 4010-Y30R	1289 803	1290 099	1411 007 or 012
	Natural	25030 018	S 4020-Y10R	1287 437	1290 099	1411 007 or 012
BRUSHED OAK	Medium	25030 026	S 6005-Y20R	1287 546	—	1411 013
FARMHOUSE	Light	25030 027	S 5005-Y20R	1287 447	—	1411 007 or 012
	Warm Grey	25029 000	S 4010-Y30R	1287 501	1290 306	1411 007 or 012
	Natural	25029 001	S 5020-Y20R	1287 477	1290 301	1411 007 or 012
CABREUVA	Light Beige	25029 002	S 3010-Y30R	1292 855	1290 308	1411 007 or 012
	Red	25030 000	S 4030-Y40R	1287 050	—	1411 023
VINTAGE PINE	Brown	25030 003	S 5020-Y40R	1287 032	—	1411 007 or 012
	Light	25029 003	S 2002-Y50R	1287 279	1290 179	1411 012
STRIP OAK	Dark	25029 004	S 3010-Y20R	1287 539	1290 175	1411 007 or 012
	Brown	25030 004	S 6010-Y30R	1287 475	—	1411 015
LONG MODERN OAK	Natural	25030 006	S 4030-Y20R	1287 011	—	1411 007 or 012
	White	25029 005	S 3005-Y20R	1289 538	1290 307	1411 007 or 012
	Black	25029 006	S 7502-R	1287 576	1290 310	1411 007
	Brown	25029 007	S 7010-Y10R	1287 013	1290 309	1411 007 or 012
	Grege	25029 008	S 5010-Y10R	1287 540	1290 304	1411 021
	Natural Brown	25029 009	S 5020-Y30R	1287 664	1290 311	1411 021
ALLOVER WOOD	Natural	25029 010	S 5020-Y30R	1287 153	1290 303	1411 007 or 012
	Grege	25029 011	S 4010-Y30R	1287 437	—	1411 007 or 012
	Brown	25029 012	S 5010-Y30R	1287 492	—	1411 007 or 012
SAW OAK	Black	25029 013	S 6005-Y80R	1287 548	—	1411 008
	Beige	25029 014	S 4020-Y20R	1287 426	1290 305	1411 007 or 012
	Natural	25029 015	S 4020-Y20R	1287 011	1290 301	1411 007 or 012
WALNUT	Black	25029 016	S 6005-Y20R	1287 013	1290 302	1411 007 or 012
	Natural	25030 007	S 5030-Y50R	1287 287	—	1411 015
	Dark	25030 008	S 7010-Y30R	1287 663	1290 139	1411 014



HETEROGENEOUS
ACOUSTIC VINYL

Tapiflex Excellence 65

Specification

Printed vinyl floorcovering on glass fibre non woven, PVC foam backing
Polyurethane reinforcement.
Product standard: EN 651.

HETEROGENEOUS
COMPACT VINYL

Acczent Excellence 80

Specification

Compact flexible vinyl floorcovering, glass fibre reinforced, printed
Polyurethane reinforcement.
Product standard: ISO 10582 - EN 649.

CERTIFICATION & CLASSIFICATION	STANDARDS	Tapiflex Excellence 65 (Sheet)	Tapiflex Tiles 65	Acczent Excellence 80 (Sheet)	Acczent Unik (Sheet) Loose Lay Offer
Type of floorcovering	EN 651 ISO 10582 - EN 649	Heterogeneous Acoustic Vinyl	Heterogeneous Acoustic Vinyl	Heterogeneous Compact Vinyl	Heterogeneous Compact Vinyl
CE Certification	EN 14041	Yes	Yes	Yes	Yes
Classification	ISO 10874 - EN 685	34	34	34-43	32
TECHNICAL CHARACTERISTICS	STANDARDS	Tapiflex Excellence 65 (Sheet)	Tapiflex Tiles 65	Acczent Excellence 80 (Sheet)	Acczent Unik (Sheet) Loose Lay Offer
Surface Treatment		TopClean XP™	TopClean XP™	TopClean XP™	TopClean XP™
Total thickness	ISO 24346 - EN 428	3.05 mm	3.45 mm	2.00 mm	2.10 mm
Wear layer thickness	ISO 24340 - EN 429	0.65 mm	0.65 mm	0.80 mm	0.80 mm
Total weight	SO 23997 - EN 430	2 850 g/m²	3 410 g/m²	3 100 g/m²	3 140 g/m²
Form of delivery	ISO 24344 - EN 426 Sheet (rolls) ISO 24342 - EN 427 Tiles (box)	approx. 23 running metres x 200 cm also available in 30, 40 and 50 m	50 x 50 cm - 20 tiles/box = 5.00 m²	approx. 23 running metres x 200 cm also available in 30, 40 and 50 m	approx. 23 running metres x 200 cm Floating standard : 10 > 23 lm
TECHNICAL PERFORMANCES	STANDARDS	Tapiflex Excellence 65 (Sheet)	Tapiflex Tiles 65	Acczent Excellence 80 (Sheet)	Acczent Unik (Sheet) Loose Lay Offer
Dimensional stability	EN 434	< 0.10 %	< 0.10 %	< 0.10 %	< 0.10 %
Reaction to fire	EN 13501-1	Bfl s1 on fibrecement substrate A2fl Cfl on woodchip substrate ≥ 19mm	Bfl s1 on fibrecement substrate A2fl Cfl on woodchip substrate ≥ 19mm	Bfl s1 on fibrecement substrate A2fl Cfl on woodchip substrate ≥ 19mm	Bfl s1 loose-laid over any A2fl or A1fl substrate with density ≥ 1200 kg/m³ (on cement) Bfl s1 loose-laid over any derivative wood substrate with density ≥ 470 kg/m³
Curl resultant to heat	ISO 23999 - EN 434	≤ 8 mm	≤ 2 mm	≤ 8 mm	≤ 8 mm
Abrasion Group	EN 660-1	Group T : ≤ 2.0 mm	Group T : ≤ 2.0 mm	Group T : ≤ 2.0 mm	Group T : ≤ 2.0 mm
Residual indentation	ISO 24343-1 - EN 433	Required value: ≤ 0.20 mm Average measured value*: 0.10 mm Best measured value*: 0.08 mm	Required value: ≤ 0.20 mm Average measured value*: 0.12 mm Best measured value*: 0.10 mm	Required value: ≤ 0.10 mm Average measured value*: 0.03 mm -	Required value: ≤ 0.10 mm Average measured value*: 0.03 mm -
Impact sound reduction	EN ISO 140-8 EN ISO 717-2	L _w 19 dB	L _w 19 dB	L _w 3 dB	L _w 4 dB
Acoustical Improvement	NF S31-074	L _{n,e,w} < 65 dB - Class A	L _{n,e,w} < 65 dB - Class A	L _{n,e,w} < 85 dB - Class C	L _{n,e,w} < 75 dB - Class B
Castor wheel test	ISO 4918 - EN 425	No damage	No damage	No damage	No damage
Furniture leg	EN 424	No damage	No damage	No damage	No damage
Electrostatic properties	EN 1815 EN 1081	< 2 kV on concrete R1 > 10 ¹⁰	< 2 kV on concrete R1 > 10 ¹⁰	< 2 kV on concrete R1 > 10 ¹⁰	< 2 kV on concrete R1 > 10 ⁹
Total VOC emissions	AgBB/DIBt	≤ 10 µg/m³ (after 28 days)	≤ 10 µg/m³ (after 28 days)	≤ 10 µg/m³ (after 28 days)	≤ 10 µg/m³ (after 28 days)
Thermal resistance Underfloor heating	EN 12667	0.04 m² K/W Suitable	0.04 m² K/W Suitable	0.03 m² K/W Suitable	0.03 m² K/W Suitable
Light fastness	EN ISO 105-B02	≥ 6	≥ 6/8	≥ 6	≥ 6
Chemical resistance	ISO 26987 - EN 423	High resistance	High resistance	High resistance	High resistance
Hygiene		Does not contribute to infection spreading	Does not contribute to infection spreading	Does not contribute to infection spreading	Does not contribute to infection spreading
Slip resistance	DIN 51130 EN 13893	R9/R10 Woods ≥ 0,3	R9 ≥ 0,3	R9/R10 Woods ≥ 0,3	R9/R10 Woods ≥ 0,3
Colours	117	10	117	117	6

The above information is subject to modification for the benefit of further improvement. (09/14).

*For information - not binding

Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 482050000000F

Our Sustainability tag explains the content of our products and how they contribute to our sustainability strategy and human well-being.



(1) Progressively during 2014



Information

DANMARK

Tarkett A/S
Industrivej 2
2640 Hedehusene
Tel : 43 90 60 11 - Fax : 43 90 37 00
info.dk@tarkett.com
www.tarkett.dk

SUOMI/FINLAND

Tarkett Oy
Lars Sonckin kaari 16
02600 Espoo
Puh : (09) 4257 9000 - Fax : (09) 4257 9090
info.fi@tarkett.com
www.tarkett.fi

NORGE

Tarkett AS
Postboks 500, Brakerøya
3002 Drammen
Tel : 32 20 92 00 - Fax : 32 20 92 01
info.norway@tarkett.com
www.tarkett.no

SVERIGE

Tarkett AB
Box 4538
191 24 Sollentuna
Tel : 0771-25 19 00 - Fax : 08-96 62 83
info.se@tarkett.com
www.tarkett.se