




SIMPLY
THE BEST
SOLUTION!

HOMOGENEOUS
COMPACT VINYL

iQ Collection



THE ULTIMATE
FLOORING EXPERIENCE



Tarkett,

With worldwide expertise and a broad product portfolio, Tarkett is the solutions provider for commercial sectors across the board. Our offer is based on diverse but complementary ranges that provide integrated solutions that answer the needs of customers and end-users alike. Whatever the project - commercial, residential or sports, new build or renovation - Tarkett has the widest choice of solutions for building professionals with better performance and lifetime returns. While for the end-user they offer a better quality of life with comfort, security and wellbeing, as well as providing inspiration, motivation and confidence.


The best flooring solution

As our customers' requirements change so do our products and with the iQ range we have developed undoubtedly the best flooring on the market. The comprehensive iQ offer has a solution for every area with flexible, hard wearing designs that can be seamlessly mixed with specialist surfaces including acoustic, safety and static control flooring.

With over 300 million sqm installed, thousands of customers worldwide have already discovered the outstanding quality and functional, sensorial and ecological benefits that iQ brings to any project.



the solutions provider



FUNCTIONAL BENEFITS

The iQ range offers outstanding performance with long-lasting, hardwearing surfaces. In particular, it introduces iQ Unique Self Regenerating properties, a system that uses simple dry buffing to restore the surface's original appearance and function. The iQ range produces significant economies in the cost of cleaning and maintenance and provides the best life cycle costs on the market.

SENSORIAL BENEFITS

With 5 design ranges (iQ Granit, iQ Eminent, iQ Optima, iQ Megalit and iQ Natural) and over 200 colours, the iQ range offers exciting, original, classic and timeless styles that add value to the appearance of any commercial area. The acoustic properties and underfoot comfort of iQ Granit acoustic and iQ Optima acoustic floorings, provide an additional level of wellbeing for every installation.

ECOLOGICAL BENEFITS

The iQ range is a winning solution for the environment. Water, detergent and energy use for cleaning are much lower than for ordinary vinyl, while the longer life means less waste. It also incorporates up to 25.5% post production/ installation waste and is completely recyclable. What is more, iQ's VOC emissions, below quantifiable level (TVOC <math><10\mu\text{g}/\text{m}^3</math> at 28 days) offer optimal air quality and so a healthier working environment.



Simply the best solution

iQ STANDS FOR “INTELLIGENT
QUALITY” AND REFLECTS
TARKETT’S COMMITMENT
TO PROVIDING AN
INTELLIGENT RESPONSE
TO CUSTOMER NEEDS

iQ is the original high performance flooring solution – which is simply the best solution on the homogeneous vinyl market. With the largest range of colours and designs on the market, there’s an iQ format and style for every requirement. It is the easiest to install, but the outstanding finish guarantees satisfaction from a job well done – and since an iQ floor looks new forever with simple dry buffing, that satisfaction will last a lifetime. It just takes water for daily cleaning, and minimal use of chemicals once a week, delivering more environmentally responsible maintenance and with costs recovered after three years.



New Forever

- Unique self regenerating properties
 - Keeps its original appearance
 - Lifelong quality & performance



WHY?

Today, tomorrow and forever, an iQ flooring always looks good. Extremely resistant to daily wear, the iQ range benefits from unique self-regenerating properties – simple dry-buffing is enough to restore not only the original appearance, but also the quality and performance – just like the day it was installed. **As a result, an iQ flooring really is new forever.**

OVER 25 YEARS OLD AND STILL LOOKS LIKE NEW

It's hard to believe that the floor in this picture is 27 years old. Magnified pictures show the minute scratches left by years of heavy daily use that are invisible to the naked eye. It's proof that the iQ range is extremely resistant to daily wear and that the unique self-regenerating properties, and simple dry buffing really can keep your flooring looking as good as new - forever.

THE PROOF



Blekinge Läns Landstings
Hospital in Karlskrona hospital
in Sweden – iQ Optima flooring
installed in 1984 and still in use
nowadays



The Original

- From the leader in sustainable flooring
- From the inventor of fully flexible homogeneous flooring
- 60 years of innovation in vinyl flooring

PHT
Phthalate
Free*

*EXCEPT FOR RECYCLED CONTENT


<10 µg/m³*
Optimal Indoor
Air Quality

*TVOC AT 28 DAYS

WHY?

As the leader in sustainable flooring, Tarkett has developed a unique formula and production process designed specifically to provide more environmentally friendly and healthier products. All our iQ products have VOC emissions below quantifiable level and are phthalate free*, for safer healthier indoor environments. And when our flooring is finally removed it is 100% recyclable.

* From September 2011 all our production has been phthalate free. Traces of phthalate may continue to be present in products using recycled material for a short period.



THE FIRST VINYL FLOORING LINE AT THE RONNEBY PLANT

Willi Senn, an engineer, came to Ronneby in 1950 to build the first vinyl line. In this picture from dated 1951 he can be seen on the left, driving the production line. Tarkett made the first homogeneous vinyl floor covering in 1947.



THE PROOF



300 MILLION SQM INSTALLED IN OVER 100 COUNTRIES WORLDWIDE

The iQ range is a genuine multi-purpose solution. It offers the best choice of design and colours, plus specialist surfaces that provide the ideal response to the requirements of different areas. That's why customers in over 100 countries worldwide have installed over 300 sqm of iQ flooring.



Profitable after 3 years



- Best life cycle costs on the market
- Pay back within three years from lowest maintenance & cleaning costs

WHY?

Reduced use of water and minimal use of cleaning agents, ensure that iQ flooring has the best life cycle costs on the market. With no wax or polish required, easier maintenance with less manpower and dry buffing increasing the product lifespan, **an iQ flooring will be profitable after 3 years.**

HOSPITAL DISTRICT OF HELSINKI AND UUSIMAA,
LÄNSI-UUSIMAA HOSPITAL,
RAASEPORI, FINLAND



THE PROOF

A LIFETIME OF SAVINGS

Tarkett has developed an internal Lifecycle Cost software that can effectively model the lifetime of a given floor. It clearly demonstrates the enormous savings you can make over its lifetimes, by installing an iQ flooring rather than one that has simply been PUR treated.

Reference	Länsi-Uusimaa Hospital in Raasepori
Year of installation	1986 / 1989
Product installed	iQ Eminent, iQ Optima
Nb of sqm installed	10.000 sqm
Where this product is installed	• 3.000 sqm in corridors • 7.000 sqm in rooms
Payback	after 2,71 years
Accumulated savings over 24 years (1986-2010) compared to Standard Plus (Entry level PUR product)	1.061.002 €

Based upon Internal Tarkett LCC (Life Cycle Cost) calculations



Reference	Klinikum Quedlinburg
Year of installation	1998 / 2004
Product installed	iQ Eminent, iQ Granit, Granit AS
Nb of sqm installed	20.000 sqm
Where this product is installed	• 11.000 sqm in corridors and functional areas • 5.000 sqm in rooms • 4.000 sqm laboratory
Payback	after 2,84 years
Accumulated savings over 13 years (1998-2011) installations compared to Standard Plus (Entry level PUR product)	836 148 €

Based upon Internal Tarkett LCC (Life Cycle Cost) calculations



KLINIKUM DOROTHEA CHRISTIANE ERXLBEN,
QUEDLINBURG, GERMANY



The easiest to install

- Easier and more flexible installation for professionals
- Best solution for a perfect installation to be proud of

12

WHY?

Because iQ flooring is flexible when installing as well as hardwearing, it's more comfortable to manipulate for installation and easier to cove. Add optimized welding properties and multi-colour welding rods for a perfect finish and no gloss change, and it's easy to achieve the perfect finish without wasting time, flooring or products.

CUSTOMER CONFIDENCE

In an internal survey run among 150 installers in 4 European countries, installers were asked which vinyl flooring they preferred - 80% selected Tarkett iQ. Asked why the iQ range was so good, in particular they mentioned that the softness and pliability made it easy to work with. They also liked the ease with which it could be welded and in one case the response to why they liked iQ was simply - 'well, everything'.




Multicolour
welding rod

Plain
welding rod



THE PROOF




MULTI-COLOUR WELDING RODS

For the perfect finish every time, multi-colour welding rods are available to complement and coordinate with three collections in the iQ range: iQ Optima, iQ Granit and iQ Natural. Perfectly designed to provide contrast or matching accent colours, the welding rods offer a great seamless look.

Just water

- Simpler, more environmentally responsible cleaning and maintenance



WHY?

Nothing could be simpler than the cleaning and maintenance of an iQ floor. Day to day a dry or damp mop will keep the floor looking good. Weekly cleaning with a gentle, neutral detergent will remove all but stubborn stains, which can be spot cleaned with an appropriate product. And periodic maintenance only requires dry-buffing - no wax or polish - to keep it like new. That makes an iQ flooring better for your bottom line.



THE PROOF

CLEANING AND MAINTENANCE

To keep your flooring in perfect condition, a dry or damp mop is sufficient for daily cleaning supplemented by cleaning with a neutral detergent and a combined scrubber-cleaner on a weekly basis. Use a suitable spot cleaner as soon as marks occur.

Maintain the appearance and properties of your flooring with a regular schedule of dry buffing as soon as wear becomes visible. For the best results dry buff immediately after the floor has been cleaned, and repeat as often as required. The more you dry-buff the better the surface.



The Widest Range

- Multi solution concept
- Colour coordinated solutions for all specific needs and areas
- Multi-colour welding rods

With over 200 different colours and designs, the iQ range is a comprehensive offer providing colour coordinated solutions suitable **for every specific need and area**. Acoustic, slip-resistant, static control and wetroom solutions can be worked into a single design concept, with a **perfect finish guaranteed** by a total concept including accessories and multi- colour welding rods.



THE PROOF



**LIGHT, DARK, BRIGHT, COOL,
CONTEMPORARY OR CLASSIC.**


There is a colour and style in the iQ range for every type of area or use. With a coordinated product range where each flooring is designed to complement another, the iQ range is a genuine multi-solution offer. with groundbreaking designs that are suitable for use in any situation – from education, to healthcare, retail or offices.





BENEFITS

- A timeless classic revisited in an amazing palette of 64 colours and designs
- New Essence collection with exclusive embossed surface and innovative formats
- iQ unique self regenerating properties
- Best lifecycle costs on the market
- VOC below quantifiable level and phthalate free
- 100% recyclable



Multi-solution offer

⇒ iQ Optima is a genuine multi-solution offer for all the requirements of commercial flooring. From hospitals to schools, hotels or offices, from wetroom to bedroom, iQ Optima can provide a single solution or a complete coordinated design that flows seamlessly between rooms and functions with the wide colour range and new formats. The new Essence collection offers the look and feel of real wood with a bevelled and embossed plank format, a classic and an embossed, tile format, embossed planks and smooth rolls.


As part of Tarkett's complete wetroom solution, Optima Multisafe is a slip-resistant flooring colour coordinated with wallcoverings. While iQ Optima acoustic is ideal solution for areas where noise is an issue and compact for heavy traffic.

iQ Optima



A classic revisited


With 64 colours the iQ Optima colour palette has a solution for every mood and style. It returns to the timeless classics that are the core of the collection and adds unique new designs including wood and combination colours. The best selling homogeneous vinyl flooring in the world, iQ Optima offers all the benefits of the iQ range with lifetime quality, costs saving and ease of installation and maintenance, plus a dazzling collection of designs and formats.



Multicolour welding rods

⇒ Every colour in the iQ Optima range is coordinated with a multi-colour welding rod, which can be chosen to pick-up or contrast with the accent colour. They provide the perfect finishing touch and a great seamless look.

iQ OPTIMA	TARKETT BALANCED CHOICE	54 % Natural	100 % 25,5 % Recyclable Recycled content		
OPTIMA MULTISAFE	TARKETT BALANCED CHOICE	54 % Natural	100 % 25,5 % Recyclable Recycled content		
iQ OPTIMA ACOUSTIC	TARKETT BALANCED CHOICE	44 % Natural	100 % 29 % Recyclable Recycled content		



COMPACT
☑ 3242 862 - ☐ 3217 862
ACOUSTIC
☑ 3076 862



COMPACT
☑ 3242 821 - ☐ 3217 821
ACOUSTIC
☑ 3076 821



COMPACT
☑ 3242 825 - ☐ 3217 825
ACOUSTIC
☑ 3076 825




COMPACT
☑ 3242 820 - ☐ 3217 820
MULTISAFE
☑ 3240 820




COMPACT
☑ 3242 822 - ☐ 3217 822



COMPACT
☑ 3242 823 - ☐ 3217 823



COMPACT
☑ 3242 829 - ☐ 3217 829



COMPACT
☑ 3242 831 - ☐ 3217 831



COMPACT
☑ 3242 867 - ☐ 3217 867
ACOUSTIC
☑ 3076 867




COMPACT
☑ 3242 850 - ☐ 3217 850



COMPACT
☑ 3242 826 - ☐ 3217 826




COMPACT
☑ 3242 828 - ☐ 3217 828



COMPACT
☑ 3242 833 - ☐ 3217 833



COMPACT
☑ 3242 834 - ☐ 3217 834



COMPACT
☑ 3242 835 - ☐ 3217 835



COMPACT
☑ 3242 838 - ☐ 3217 838
MULTISAFE
☑ 3240 838



COMPACT
☑ 3242 839 - ☐ 3217 839



COMPACT
☑ 3242 841 - ☐ 3217 841




COMPACT
☑ 3242 856 - ☐ 3217 856
ACOUSTIC
☑ 3076 856



COMPACT
☑ 3242 857 - ☐ 3217 857
ACOUSTIC
☑ 3076 857



COMPACT
☑ 3242 843 - ☐ 3217 843



COMPACT
☑ 3242 847 - ☐ 3217 847



COMPACT
☑ 3242 848 - ☐ 3217 848
MULTISAFE
☑ 3240 848



COMPACT
☑ 3242 849 - ☐ 3217 849

iQ Optima



COMPACT
 3242 870 - 3217 870



COMPACT
 3242 869 - 3217 869



COMPACT
 3242 863 - 3217 863
MULTISAFE
 3240 863



COMPACT
 3242 824 - 3217 824
ACOUSTIC
 3076 824



COMPACT
 3242 861 - 3217 861
MULTISAFE
 3240 861



COMPACT
 3242 872 - 3217 872



COMPACT
 3242 864 - 3217 864



COMPACT
 3242 871 - 3217 871




COMPACT
 3242 853 - 3217 853
ACOUSTIC **MULTISAFE**
 3076 853 3240 853



COMPACT
 3242 873 - 3217 873
MULTISAFE
 3240 873



COMPACT
 3242 886 - 3217 886
MULTISAFE
 3240 886



COMPACT
 3242 866 - 3217 866
ACOUSTIC **MULTISAFE**
 3076 866 3240 866



COMPACT
 3242 874 - 3217 874
MULTISAFE
 3240 874



COMPACT
 3242 836 - 3217 836
ACOUSTIC
 3076 836



COMPACT
 3242 845 - 3217 845
ACOUSTIC **MULTISAFE**
 3076 845 3240 845



COMPACT
 3242 875 - 3217 875



COMPACT
 3242 876 - 3217 876



COMPACT
 3242 877 - 3217 877




COMPACT
 3242 900 - 3217 900




COMPACT
 3242 899 - 3217 899



COMPACT
 3242 898 - 3217 898




COMPACT
 3242 897 - 3217 897




COMPACT
 3242 860 - 3217 860
ACOUSTIC **MULTISAFE**
 3076 860 3240 860




COMPACT
 3242 903 - 3217 903



COMPACT
 3242 904 - 3217 904



ACOUSTIC
3242 851 - 3217 851



COMPACT
3242 855 - 3217 855




W.e. 3078 952
3079 952
3082 952
Wt.e. 3077 952
3080 952



W.e. 3078 960
3079 960
3082 960
Wt.e. 3077 960
3080 960

Essence Colors



W.e. 3078 957
3079 957
3082 957
Wt.e. 3077 957
3080 957



W.e. 3078 953
3079 953
3082 953
Wt.e. 3077 953
3080 953



W.e. 3078 961
3079 961
3082 961
Wt.e. 3077 961
3080 961




W.e. 3078 958
3079 958
3082 958
Wt.e. 3077 958
3080 958



W.e. 3078 954
3079 954
3082 954
Wt.e. 3077 954
3080 954



W.e. 3078 962
3079 962
3082 962
Wt.e. 3077 962
3080 962



W.e. 3078 959
3079 959
3082 959
Wt.e. 3077 959
3080 959



W.e. 3078 955
3079 955
3082 955
Wt.e. 3077 955
3080 955




W.e. 3078 956
3079 956
3082 956
Wt.e. 3077 956
3080 956

Essence Contrast



W.e. 3078 951
3079 951
3082 951
Wt.e. 3077 951
3080 951



W.e. 3078 950
3079 950
3082 950
Wt.e. 3077 950
3080 950

W.E. = WITH EMBOSSED
WT.E. = WITHOUT EMBOSSED
= PLANK EMBOSSED ROLL

Plank embossed roll.

BENEFITS

- Light, timeless and elegant interiors
- Charm and comfort
- iQ unique self regenerating properties
- Best lifecycle costs on the market
- VOC below quantifiable level and phthalate free
- 100% recyclable

ACIBADEM HOSPITAL,
ISTAMBUL, TURKEY

24
iQ Eminent

Extremely good gets even better

One of Tarkett's most popular floorings, iQ Eminent combines outstanding functional properties with a range of exciting designs. These include a non-directional pattern, a 3D effect created by the addition of pearlescent chips, and an expanded range of fashionable colours in 26 different shades.

iQ Eminent's three accent colours make this a perfect multi-solution flooring. You can mix and match across areas and functions while maintaining a constant visual theme and coherence.







3101 090




3101 072




3101 074



3101 074




3101 081



3101 071




3101 080



3101 075



3101 073




3101 077




3101 092




3101 088



3101 093



3101 094




3101 078



3101 091



3101 089



3101 082



3101 086




3101 087




3101 079



3101 083



3101 084



3101 085



3101 095



3101 096

BENEFITS

- An outstanding design effect
- Top rated for heavy traffic
- iQ unique self regenerating properties
- Best lifecycle costs on the market
- VOC below quantifiable level and phthalate free
- 100% recyclable

ST TERESA'S HOSPITAL, HONG KONG



High design appearance and depth of pattern to enhance any heavy traffic area

With iQ Megalit homogeneous vinyl flooring gets a totally new look showing extraordinary depth of pattern and scintillating brilliance. These exceptional designs are created by using large flakes of different sizes rather than the usual one-size granules. The addition of a high proportion of transparent material results in a flooring that's vibrant and alive with variations in colour, shape and depth, for an effect that has the random beauty of nature.

The natural, comfortable and harmonious designs in the iQ Megalit range are the perfect multi-solution offer. The pattern variations provide a distinctive but infinitely flexible personality that fits into and enhances any design. While the tough, scratch and abrasion resistant surface will answer the stringent demands of any heavy traffic area.

iQ Megalit

26





3390 501
3396 501



3390 502
3396 502




3390 503
3396 503



3390 504
3396 504




3390 505
3396 505



3390 506
3396 506



3390 509
3396 509




3390 510
3396 510



3390 508
3396 508



3390 511
3396 511




3390 512
3396 512



3390 513
3396 513



3390 514
3396 514



3390 515
3396 515



3390 516
3396 516



3390 507
3396 507



3390 517
3396 517



3390 518
3396 518



3390 524
3396 524




3390 523
3396 523



3390 519
3396 519



3390 520
3396 520



3390 521
3396 521



3390 522
3396 522

BENEFITS

- A complete coordinated range for every area
- Acoustic and underfoot comfort
- iQ unique self regenerating properties
- Best lifecycle costs on the market
- VOC below quantifiable level and phthalate free
- 100% recyclable



A multi-solution offer

But in addition to outstanding performance, iQ Granit provides a multi-solution offer with its complementary selection of specialist flooring – iQ Granit Acoustic, static dissipation with iQ Granit SD and static conductivity with iQ Toro SC. The iQ Granit range is also complemented by Granit Safe.T for a high level of underfoot safety and Granit Multisafe, part of Tarkett's complete wetroom solution with colour coordinated wallcoverings.

MILTON KEYNES ACADEMY,
MILTON KEYNES, UK



A complete coordinated range for every area

With its range of hardwearing neutral colours, iQ Granit is a favourite with facilities managers and cleaning staff. Excellent lifecycle costs, durable, low-maintenance and easy to clean, iQ Granit is the ultimate in practical, cost-effective flooring.

Multi-colour welding rods

There's a colour and pattern co-ordinated welding rod for every colour in the iQ Granit range. With contrasting colour chips that coordinate with the flooring's accent colour and design, the welding rods provide the perfect finishing touch to complement and enhance the flooring.

iQ GRANIT	TARKETT BALANCED CHOICE	59%	100%		
		Natural	25,5% Recyclable Recycled content		
iQ GRANIT ACOUSTIC	TARKETT BALANCED CHOICE	53%	100%		
		Natural	25,5% Recyclable Recycled content		


GRANIT MULTISAFE	TARKETT BALANCED CHOICE	59%	100%		
		Natural	25,5% Recyclable Recycled content		
GRANIT SAFE.T	TARKETT BALANCED CHOICE	58%	100%		
		Natural	25,5% Recyclable Recycled content		



iQ GRANIT (1) et (2)
 3040 422
 3243 422
 iQ GRANIT ACOUSTIC
 3221 422



iQ GRANIT (1) et (2)
 3040 782
 3243 782
 GRANIT MULTISAFE
 3476 782




iQ GRANIT (1) et (2)
 3040 382
 3243 382
 iQ GRANIT ACOUSTIC
 3221 382
 GRANIT SAFE.T
 3052 697



iQ GRANIT (1) et (2)
 3040 383
 3243 383
 iQ GRANIT ACOUSTIC
 3221 383
 GRANIT SAFE.T
 3052 698
 GRANIT MULTISAFE
 3476 383




iQ GRANIT
 3040 435
 3243 435
 GRANIT SAFE.T
 3052 699



iQ GRANIT
 3040 420
 3243 420



iQ GRANIT
 3040 433
 3243 433



iQ GRANIT (1) et (2)
 3040 770
 3243 770
 iQ GRANIT ACOUSTIC
 3221 770
 GRANIT SAFE.T
 3052 691
 GRANIT MULTISAFE
 3476 770



iQ GRANIT
 3040 421
 3243 421
 iQ GRANIT ACOUSTIC
 3221 421



iQ GRANIT
 3040 434
 3243 434



iQ GRANIT
 3040 419
 3243 419



iQ GRANIT
 3040 428
 3243 428
 GRANIT SAFE.T
 3052 692



iQ GRANIT (1) et (2)
 3040 372
 3243 372
 iQ GRANIT ACOUSTIC
 3221 372



iQ GRANIT (1)
 3040 772
 3243 772
 iQ GRANIT ACOUSTIC
 3221 772
 GRANIT MULTISAFE
 3476 772



iQ GRANIT
 3040 423
 3243 423
 GRANIT SAFE.T
 3052 690



iQ GRANIT
 3040 375
 3243 375
 iQ GRANIT ACOUSTIC
 3221 375
 GRANIT SAFE.T
 3052 693



iQ GRANIT
 3040 424
 3243 424



iQ GRANIT (2)
 3040 425
 3243 425



iQ GRANIT
 3040 432
 3243 432
 iQ GRANIT ACOUSTIC
 3221 432




iQ GRANIT
 3040 436
 3243 436




iQ GRANIT (1) et (2)
 3040 777
 3243 777
 iQ GRANIT ACOUSTIC
 3221 777
 GRANIT SAFE.T
 3052 695



iQ GRANIT (2)
 3040 379
 3243 379
 GRANIT SAFE.T
 3052 696
 GRANIT MULTISAFE
 3476 379




iQ GRANIT
 3040 427
 3243 427




iQ GRANIT (1) et (2)
 3040 384
 3243 384
 GRANIT SAFE.T
 3052 700




iQ GRANIT
 3040 779
 3243 779
 GRANIT MULTISAFE
 3476 779




iQ GRANIT
 3040 426
 3243 426
 iQ GRANIT ACOUSTIC
 3221 426
 GRANIT SAFE.T
 3052 694




iQ GRANIT
 3040 437
 3243 437



iQ GRANIT (1) et (2)
 3040 780
 3243 780
 iQ GRANIT ACOUSTIC
 3221 780



iQ GRANIT
 3218 430
 3044 430




iQ GRANIT
 3218 431
 3044 431

(1) COLOUR COORDINATED WITH iQ GRANIT SD, SEE NEXT PAGES
 (2) COLOUR COORDINATED WITH iQ TORO SC, SEE NEXT PAGES

iQ Granit SD

BENEFITS



- High quality static dissipative flooring
- Electrical resistance of 10^6 - 10^8 Ohms.
- iQ unique self regenerating properties
- Best lifecycle costs on the market
- VOC below quantifiable level and phthalate free
- 100% recyclable




The only static dissipative flooring with iQ properties

iQ Granit SD is a high quality static control flooring with an electrical resistance of 10^6 - 10^8 Ohms. Developed specifically for use in areas where sensitive equipment could be disrupted or damaged by ESD, it is an ideal solution for the electronics industries, laboratories, ESD-sensitive areas in hospitals, etc.

With nine versatile colours in a classic non-directional design, iQ Granit SD is the perfect answer for creating harmonious interior designs. But with all the properties of an iQ – self-regenerating, resistant to daily wear, easy to clean and maintain – you can enjoy a pleasant working environment without having to compromise on function.




3096 710
3097 710



3096 711
3097 711



3096 712
3097 712



3096 713
3097 713



3096 714
3097 714



3096 715
3097 715



3096 716
3097 716



3096 717
3097 717



3096 718
3097 718

iQ GRANIT SD	TARKETT BALANCED CHOICE	59% Natural	100% 25,5% Recyclable Recycled content	<10µg/m ³ Optimat Indoor Air Quality *TVOC AT 28 DAYS	PHIT Phthalate Free *CERTIFIED FOR RECYCLED CONTENT
---------------------	--------------------------------	----------------	---	---	--


BENEFITS

- High quality static control flooring
- Electrical resistance of $5 \times 10^4 - 10^6$ ohms
- iQ unique self regenerating properties
- Best lifecycle costs on the market
- VOC below quantifiable level and phthalate free
- 100% recyclable

The only static conductive flooring with iQ properties

A high quality static control flooring, iQ Toro SC offers an electrical resistance of $5 \times 10^4 - 10^6$ Ohms. Specifically developed for uses such as operating theatres, x-ray rooms, the electronics industries, laboratories, explosion risk areas, computer rooms, etc. It offers high quality protection against ESD.


With ten fresh and lively colours in a classic non-directional design, iQToro SC is the perfect answer for creating harmonious interior designs. But with all the properties of an iQ – self-regenerating, resistant to daily wear, easy to clean and maintain – you can enjoy a pleasant working environment without having to compromise on function.




3093 101
3094 101



3093 100
3094 100



3093 102
3094 102




3093 103
3094 103




3093 104
3094 104




3093 105
3094 105



3093 106
3094 106



3093 107
3094 107



3093 108
3094 108



3093 109
3094 109

BENEFITS

- Made of 75% natural and renewable raw materials
- A wide palette of colours inspired by nature enriched with 11 new greys
- iQ unique self regenerating properties
- Best lifecycle costs on the market
- VOC below quantifiable level and phthalate free
- 100% recyclable



Multi-colour welding rods


» Made from the same formula as iQ Natural flooring, the matching multi-colour welding rods complement and enhance the entire range. With matching welding rods for all the iQ Natural colours, it's easy to achieve a perfect seamless finish that's environmentally friendly too.




The most natural iQ

The demand has never been higher for building techniques and materials that are environmentally friendly and sustainable. iQ Natural is Tarkett's innovative response to these new demands - a vinyl flooring that meets the highest standards for sustainable solutions with all the benefits of the iQ range. iQ Natural is the new nature of vinyl flooring. It brings the benefits of a major advance in vinyl technology to our customers with flooring solutions that are even more environmentally friendly, but still with iQ performance.

It's a combination that makes iQ Natural the natural solution for any sector, but particularly for the high-traffic and demanding worlds of healthcare, education, offices and retail. Environmentally friendly through and through, iQ Natural ensure better indoor air quality, improved still further by the lower use of detergents for cleaning. And after a long and productive life, iQ Natural is 100% recyclable.





3009 276
3010 276



3009 280
3010 280



3009 282
3010 282



3009 283
3010 283



3009 287
3010 287



3009 284
3010 284



3009 285
3010 285



3009 281
3010 281



3009 277
3010 277




3009 278
3010 278



3009 279
3010 279




3009 288
3010 288



3009 289
3010 289



3009 290
3010 290



3009 291
3010 291



3009 292
3010 292



3009 293
3010 293



3009 294
3010 294



3009 275
3010 275




3009 171
3010 171



3009 180
3010 180




3009 176
3010 176



3009 274
3010 274



3009 170
3010 170



3009 179
3010 179




3009 175
3010 175



3009 173
3010 173



3009 273
3010 273



3009 178
3010 178




3009 174
3010 174



3009 172
3010 172



3009 272
3010 272



3009 177
3010 177



3009 271
3010 271

Welding rods and NCS codes



iQ Optima, iQ Optima Acoustic, Optima Multisafe

Colour codes	NCS codes	Welding rods	
		Multicolour	Plain
820	S 4010-Y30R	1290 099	1287 501
821	S 2005-Y30R	1290 032	1291 821
822	S 6010-Y30R	1290 100	1287 502
823	S 7010-Y50R	1290 101	1287 503
824	S 1050-Y10R	1290 070	1287 036
825	S 2010-Y40R	1290 024	1291 203
826	S 1040-Y20R	1290 102	1287 504
828	S 4030-Y20R	1290 103	1287 505
829	S 1010-Y30R	1290 040	1291 342
831	S 3030-Y30R	1290 042	1291 831
833	S 2020-G50Y	1290 104	1287 506
834	S 4030-G30Y	1290 105	1287 507
835	S 6020-Y10R	1290 106	1287 508
836	S 4020-G50Y	1290 078	1287 040
838	S 2020-B10G	1290 107	1287 509
839	S 3020-B10G	1290 108	1287 510
841	S 6020-B30G	1290 109	1287 511
843	S 4040-R90B	1290 110	1287 512
845	S 8502-B	1290 034	1291 845
847	S 2020-R80B	1290 111	1287 513
848	S 3030-R80B	1290 112	1287 514
849	S 5030-R80B	1290 113	1287 515
850	S 1020-Y20R	1290 045	1287 041
851	S 2040-G80Y		
	S 3030-G60Y	1290 114	1287 516
	S 3020-G20Y		
853	S 3502-B	1290 022	1292 388
855	S 0540-Y20R		
	S 1060-Y40R	1290 115	1287 517
	S 2060-Y70R		
856	S 1030-R90B	1290 051	1288 905
857	S 2040-R90B	1290 037	1287 034
860	S 2010-Y20R	1290 066	1287 039
861	S 2040-G60Y	1290 116	1287 518
862	S 1002-Y	1290 025	1291 862
863	S 2050-Y40R	1290 117	1287 519
864	S 2500-N	1290 029	1291 214
866	S 6502-B	1290 026	1291 216
867	S 3050-Y40R	1290 047	1288 409
869	S 3060-Y80R	1290 118	1287 520
870	S 5040-R10B	1290 119	1287 521
871	S 1502-B	1290 120	1287 522
872	S 2502-B	1290 121	1287 523
873	S 3502-Y	1290 122	1287 524
874	S 5502-Y	1290 123	1287 525
875	S 7502-Y	1290 124	1287 526
876	S 7020-R80B	1290 125	1287 527
877	S 5010-R90B	1290 126	1287 528
886	S 1500-N	1290 049	1291 609
897	S 4005-Y20R	1290 086	1287 170
898	S 7005-Y20R	1290 087	1294 727
899	S 4005-Y50R	1290 088	1287 010
900	S 7005-Y80R	1290 089	1287 013
903	S 6010-Y10R	1290 092	1287 240
904	S 6010-G50Y	1290 093	1287 241

iQ Optima Essence

Colour codes	NCS codes	Welding rods	
		Multicolour	Plain
950	S 8505-Y20R	1290 127	1287 529
951	S 1505-Y40R	1290 128	1287 530
952	S 1505-Y40R	1290 129	1287 531
953	S 3005-Y20R	1290 130	1287 532
954	S 5005-Y20R	1290 131	1287 533
955	S 7005-Y20R	1290 132	1287 534
956	S 8505-Y20R	1290 133	1287 535
957	S 3005-Y50R	1290 134	1287 536
958	S 5005-Y50R	1290 135	1287 537
959	S 7005-Y50R	1290 136	1287 538
960	S 3010-Y30R	1290 137	1287 539
961	S 5010-Y30R	1290 138	1287 540
962	S 7010-Y30R	1290 139	1287 541

iQ Eminent

Colour codes	NCS codes	Welding rods
		Plain
071	S 1005-Y30R	1288 232
072	S 2010-Y30R	1291 615
073	S 3010-Y40R	1292 612
074	S 2020-Y30R	1292 372
075	S 3005-Y20R	1292 762
076	S 3040-Y40R	1287 184
077	S 6020-Y40R	1292 750
078	S 3060-Y80R	1287 187
079	S 2020-R20B	1287 190
080	S 1020-Y20R	1291 681
081	S 1050-Y10R	1287 036
082	S1030-B30G	1287 195
083	S 2020-R90B	1292 378
084	S 3030-R90B	1287 034
085	S 4040-R90B	1287 196
086	Y 4020 -B50G	1287 200
087	S 6020-B50G	1287 201
088	S 4500-N	1292 383
089	S 3010-G10Y	1291 683
090	S 2005-Y10R	1287 012
091	S 1500-N	1291 609
092	S 3000-N	1287 027
093	S 6000-N	1294 727
094	S 8500-N	1292 384
095	-	1291 342
096	-	1292 685

THE COLOUR CODES ARE THE 3 LAST DIGIT NUMBERS OF ARTICLE CODES,
FOR COMPLETE ARTICLE CODES PLEASE REFER TO PRODUCT PAGES

iQ Megalit

Colour codes	NCS codes	Welding rods	
		Plain	
501	S 1005-Y40R	1288	125
502	S 2005-Y50R	1291	981
503	S 2005-Y40R	1292	370
504	S 2010-Y40R	1292	371
505	S 1010-Y20R	1291	615
506	S 2020-Y20R	1294	852
507	S 1040-Y10R	1288	334
508	S 2010-Y60R	1291	983
509	S 3030-Y40R	1294	754
510	S 4040-Y60R	1292	386
511	S 2010-G20Y	1291	806
512	S 3010-G	1292	655
513	S 3020-G40Y	1287	040
514	S 1020-R80B	1292	378
515	S 2030-R80B	1289	008
516	S 4040-R80B	1291	844
517	S 1002-R	1288	125
518	S 1502-R	1289	316
519	S 2500-N	1288	314
520	S 3500-N	1288	341
521	S 5000-N	1291	931
522	S 7502-B	1292	384
523	S 3060-Y80R	1289	057
524	S 3020-R60B	1287	056

iQ Granit, iQ Granit Acoustic, Granit Multisafe, Granit Safe.T

Colour codes	Colour codes	NCS codes	Welding rods	
iQ Granit	Granit Safe.T		Multicolour	Plain
iQ Granit Acoustic				
Granit Multisafe				
372	-	S 2020-Y30R	1290 031	1292 372
375	693	S 3030-Y50R	1290 046	1292 375
379	696	S 4030-R90B	1290 041	1292 379
382	697	S 2502-B	1290 028	1291 811
383	698	S 4502-B	1290 021	1292 383
384	700	S 8502-B	1290 035	1292 384
419	-	S 3005-Y20R	1290 061	1287 341
420	-	S 6005-Y20R	1290 050	1287 333
421	-	S 2005-Y40R	1290 033	1291 352
422	-	S 1002-Y50R	1290 054	1287 322
423	690	S 1040-Y30R	1290 056	1287 249
424	-	S 6020-Y50R	1290 067	1287 130
425	-	S 2070-Y90R	1290 063	1287 408
426	694	S 3020-G30Y	1290 059	1287 332
427	-	S 6020-R90B	1290 071	1287 409
428	692	S 2010-Y30R	1290 023	1287 407
429	-	S 4030-B10G	1290 075	1287 410
430	-	-	1290 084	
431	-	-	1290 083	
432	-	S 1020-R80B	1290 052	1287 370
433	-	S 1005-Y50R	1290 065	1288 123
434	-	S 4010-Y30R	1290 069	1287 292
435	699	S 6502-B	1290 027	1288 327
436	-	S 4010-R50B	1290 077	1287 312
437	-	S 5030-G30Y	1290 073	1287 305
770	691	S 1005-Y40R	1290 036	1288 255
772	-	S 1020-Y30R	1290 039	1291 772
777	695	S 2020-R90B	1290 038	1291 210
779	-	S 1010-B70G	1290 044	1292 617
780	-	S 3020-B70G	1290 048	1291 794
782	-	S 1502-R	1290 043	1294 680

iQ Natural

Colour codes	NCS codes	Welding rods	
		Multicolour	Plain
170	S 5500-N	1297025	1296025
171	S 7500-N	1297026	1296026
172	S 2502-B	1297027	1296027
173	S 4502-B	1297028	1296028
174	S 2502-G	1297029	1296029
175	S 5502-G	1297030	1296030
176	S 7502-G	1297031	1296031
177	S 2502-Y	1297032	1296032
178	S 4502-Y	1297033	1296033
179	S 5502-Y	1297034	1296034
180	S 7502-Y	1297035	1296035
271	S 1000-N	1297002	1296002
272	S 2500-N	1297003	1296003
273	S 4000-N	1297001	1296001
274	S 6502-B	1297004	1296004
275	S 8502-B	1297005	1296005
276	S 1005-Y40R	1297006	1296006
277	S 4010-Y30R	1297007	1296007
278	S 5005-Y50R	1297008	1296008
279	S 7005-Y50R	1297009	1296009
280	S 2005-Y20R	1297010	1296010
281	S 3010-Y30R	1297011	1296011
282	S 2010-Y30R	1297012	1296012
283	S 2020-Y30R	1297013	1296013
284	S 4030-Y50R	1297014	1296014
285	S 3060-Y80R	1297015	1296015
286	S 2050-Y40R	1297016	1296016
287	S 1040-Y20R	1297017	1296017
288	S 2020-Y10R	1297018	1296018
289	S 2020-G60Y	1297019	1296019
290	S 3020-G40Y	1297020	1296020
291	S 4030-G30Y	1297021	1296021
292	S 2020-R90B	1297022	1296022
293	S 4030-R90B	1297023	1296023
294	S 6020-R90B	1297024	1296024

iQ Granit SD

Colour codes	NCS codes	Welding rods	
		Plain	
710	S 1002-Y50R	1287	411
711	S 2502-B	1287	412
712	S 4502-B	1287	413
713	S 8502-B	1287	414
714	S 1005-Y40R	1287	415
715	S 1020-Y30R	1287	416
716	S 2020-Y30R	1287	417
717	S 3020-B70G	1287	418
718	S 2020-R90B	1287	419

iQ Toro SC

Colour codes	NCS codes	Welding rods	
		Plain	
100	S 1002-Y50R	1287	322
101	S 2502-B	1291	811
102	S 4502-B	1292	383
103	S 8502-B	1292	384
104	S 1005-Y40R	1288	255
105	S 2020-Y30R	1292	372
106	S 3020-B70G	1291	794
107	S 2020-R90B	1291	210
108	S 4030-R90B	1292	379
109	S 2070-Y90R	1287	408



Technical information

HOMOGENEOUS
COMPACT VINYL

iQ Collection



The iQ Collection offers a complete offer including compact, acoustic, static dissipative, static control, anti slip and wetroom solutions. It brings outstanding performances as well as the market's best life cycle costs. With over 200 references and amazing patterns, the iQ collection leads the way to design creativity.



CERTIFICATION & CLASSIFICATION	STANDARDS	iQ Optima	Optima Multisafe	iQ Optima Acoustic	iQ Eminent	iQ Megalit
CE certification		Yes	Yes	Yes	Yes	Yes
Classification	EN 685	Commercial: 34 Industrial: 43	Commercial: 31 -	Commercial: 34 Industrial: 42	Commercial: 34 Industrial: 43	Commercial: 34 Industrial: 43
TECHNICAL CHARACTERISTICS		iQ Optima	Optima Multisafe	iQ Optima Acoustic	iQ Eminent	iQ Megalit
Wear layer thickness	EN 429	2.00 mm	2.00 mm	2.00 mm	2.00 mm	2.00 mm
Foam layer thickness	EN 429	-	-	1.50 mm	-	-
Adhesive foil thickness	EN 429	-	-	0.20 mm	-	-
Total thickness	EN 428	2.00 mm	2.25 mm	3.70 mm	2.00 mm	2.00 mm
Total weight	EN 430	2 800 g/m ²	2 820 g/m ²	3 500 g/m ²	2 950 g/m ²	2 690 g/m ²
Form of delivery	EN 426	iQ Optima				
	Sheet (rolls)	Approx. 25 r m x 200 cm art. no. 3242 ___ 3 digit colour number	Approx. 25 r m x 200 cm art. no. 3240 ___ 3 digit colour number	Approx. 25 r m x 195 cm art. no. 3076 ___ 3 digit colour number	Approx. 23 r m x 200 cm art. no. 3101 ___ 3 digit colour number	Approx. 23 r m x 200 cm art. no. 3390 ___ 3 digit colour number
	EN 427 Tiles (box)	iQ Optima 61 x 61 cm - 14 tiles/ box = 5.21 m ² art. no. 3217 ___ 3 digit colour number	-	-	-	61 x 61 cm 14 tiles/box=5,21 m ² art. no. 3396 ___ 3 digit colour number
	Sheet (rolls)	iQ Optima Essence Approx. 25 r m x 200 cm art. no. 3077 ___ 3 digit colour number	-	-	-	-
	Sheet (rolls)	All over embossing Approx. 25 r m x 200 cm art. no. 3078 ___ 3 digit colour number	-	-	-	-
	Sheet (rolls)	Planks embossing Approx. 25 r m x 200 cm art. no. 3079 ___ 3 digit colour number	-	-	-	-
	EN 427 Tiles (box)	iQ Optima Essence 61 x 61 cm - 14 tiles/ box = 5.21 cm ² art. no. 3080 ___ 3 digit colour number	-	-	-	-
	Planks (box)	Decorplanks with embossing 71.16 x 10.16 cm - 28 planks/box = 2.02 m ² art. no. 3082 ___ 3 digit colour number	-	-	-	-
TECHNICAL PERFORMANCES	STANDARDS	iQ Optima	Optima Multisafe	iQ Optima Acoustic	iQ Eminent	iQ Megalit
Electrical insulation	VDE 100, Part 600	-	-	-	-	-
Electrical resistance	ESD-approval SP-method 2472 EN 1081 EN/IEC 61340-4-1 EN/IEC 61340-4-5	-	-	-	-	-
Abrasion group						
Thickness loss	EN 660: Part 1	-	-	-	-	-
Volume loss	EN 660: Part 2	Group T: ≤ 2.00 mm ³	Group T: ≤ 2.00 mm ³	Group T: ≤ 2.00 mm ³	Group T: ≤ 2.00 mm ³	Group T: ≤ 2.00 mm ³
Residual indentation	EN 433	Approx. 0.02 mm	Approx. 0.02 mm	≤ 0.20 mm	Approx. 0.02 mm	Approx. 0.02 mm
Castor chair test	EN 425	Suitable	-	Suitable	Suitable	Suitable
Dimensional stability	EN 434	≤ 0.40 % for rolls ≤ 0.25 % for tiles	≤ 0.40 %	≤ 0.40 %	≤ 0.40%	≤ 0.40% for rolls ≤ 0.25 % for tiles and decostrips
Reaction to fire	DIN 4102 EN ISO 9239-1 EN ISO 13501-1 EN ISO 11925-2 BS 476: Part 7, 1997	- ≥ 8 kW/m ² Class B _f s1 Pass	- ≥ 8 kW/m ² Class B _f s1 Pass	- ≥ 8 kW/m ² Class B _f s1 Pass	- ≥ 8 kW/m ² Class B _f s1 Pass Class 2	- ≥ 8 kW/m ² Class B _f s1 Pass
Marine equipment	IMO FTPC Part 5 and 2 IMO Res. A653	- -	- -	- -	- -	- -
Static electrical charge	EN 1815	< 2 kV	< 2 kV	-	< 2kV	< 2kV
Impact sound reduction	EN ISO 717/2 ΔL _w	-	-	Approx. + 16 dB	-	-
Light fastness	EN ISO 105-B02	≥ level 6	≥ level 6	≥ level 6	≥ 6	≥ 6
Chemical resistance	EN 423	Good resistance	Good resistance	Good resistance	Good resistance	Good resistance
Fungi and bacteria resistance	DIN EN ISO 846-A/C	Does not favour growth	Does not favour growth	Does not favour growth	Does not favour growth	Does not favour growth
Clean room test	ASTM F51/00	Class A	-	-	-	-
Slip resistance	DIN 51130 EN 13893	R9 ≥ 0.3	R10 ≥ 0.3	R9 ≥ 0.3	R9 ≥ 0.3	R9 ≥ 0.3
Thermal resistance	EN 12667 / DIN 52612	Approx. 0.01 m ² K/W Suitable - max. 27° C	Approx. 0.01 m ² K/W Suitable - max. 27° C	Pending Suitable - max. 27° C	Approx. 0.01 m ² K/W Suitable - max. 27° C	Approx. 0.01 m ² K/W Suitable - max. 27° C
Bare foot test	-	-	Class B (18°)	-	-	-
Colours	-	iQ Optima 51 iQ Optima Essence 13	12	12	26	24

The above information is subject to modification for the benefit of further improvement (09/11).
For more detailed technical information, please contact Tarkett. Follow Tarkett's installation and maintenance instructions carefully. These instructions are available upon request.



iQ Granit	iQ Natural	iQ Toro SC	iQ Granit SD	iQ Granit Acoustic	Granit Multisafe
Yes	Yes	Yes	Yes	Yes	Yes
Commercial: 34 Industrial: 43	Commercial: 34 Industrial: 43	Commercial: 34 Industrial: 43	Commercial: 34 Industrial: 43	Commercial: 33 Industrial: 42	Commercial: 31 Industrial: -
iQ Granit	iQ Natural	iQ Toro SC	iQ Granit SD	iQ Granit Acoustic	Granit Multisafe
2.00 mm	2.00 mm	2.00 mm	2.00 mm	1.50 mm	2.00 mm
-	-	-	-	2.30 mm	-
-	-	-	-	0.20 mm	-
2.00 mm	2.00 mm	2.00 mm	2.00 mm	4.00 mm	2.50 mm
2 950 g/m ²	2 950 g/m ²	3 000 g/m ²	3 000 g/m ²	3 810 g	3 010 g
Approx. 25 r m x 200 cm art. no. 3040__ __ 3 digit colour number art. no. 3218__ __ (Multicolour) 3 digit colour number	approx. 23 r m x 200 cm art. no. 3009__ __ 3 digit colour number	Approx. 23 r m x 200 cm art. no. 3093__ __ 3 digit colour number	Approx. 23 r m x 200 cm art. no. 3096__ __ 3 digit colour number	Approx. 23 r m x 200 cm art. no. 3221__ __ 3 digit colour number	Approx. 25 r m x 200 cm art. no. 3476__ __ 3 digit colour number
61 x 61 cm 14 tiles/box=5,21 m ² art. no. 3243__ __ 3 digit colour number art. no. 3044__ __ (Multicolour) 3 digit colour number	61 x 61 cm 14 tiles/box=5,21 m ² art. no. 3010__ __ 3 digit colour number	61 x 61 cm 14 tiles/box=5,21 m ² art. no. 3094__ __ 3 digit colour number	61 x 61 cm 14 tiles/box=5,21 m ² art. no. 3097__ __ 3 digit colour number	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
iQ Granit	iQ Natural	iQ Toro SC	iQ Granit SD	iQ Granit Acoustic	Granit Multisafe
-	-	R _i ≤ 5 x 10 ⁴ Ohms	R _i ≥ 5 x 10 ⁴ Ohms	-	-
-	-	R ₁ ≤ 10 ⁸ Ohms R ₂ ≤ 5 x 10 ⁴ ≤ R ≤ 10 ⁸ Ohms 5 x 10 ⁴ ≤ R ≤ 10 ⁸ Ohms ≤ 3.5 ≤ 10 ⁷ Ohms	10 ⁸ ≤ R ≤ 10 ⁸ Ohms R ₁ ≤ 10 ⁸ Ohms R ₂ ≤ 10 ⁸ Ohms R ≤ 10 ⁸ Ohms	-	-
-	-	-	-	-	-
Group T: ≤ 2.00 mm ³	Group T: ≤ 2.00 mm ³	Group P: ≤ 4.00 mm ³	Group P: ≤ 4.00 mm ³	Group T: ≤ 2.00 mm ³	Group T: ≤ 2.00 mm ³
Approx. 0.02 mm	Approx. 0.02 mm	Approx. 0.02 mm	Approx. 0.02 mm	Approx. 0.02 mm	Approx. 0.02 mm
Suitable	Suitable	Suitable	Suitable	Suitable	Suitable
≤ 0.40% for rolls	≤ 0.40% for rolls	≤ 0.40% for rolls	≤ 0.40% for rolls	≤ 0.40% for rolls	≤ 0.40% for rolls
≤ 0.25% for tiles	≤ 0.25% for tiles	≤ 0.25% for tiles	≤ 0.25% for tiles	-	-
B1 ≥ 8 kW/m ² Class B _R ≤ 1 Pass Class 2	- ≥ 8 kW/m ² Class B _R ≤ 1 Pass	- ≥ 8 kW/m ² Class B _R ≤ 1 Pass	- ≥ 8 kW/m ² Class B _R ≤ 1 Pass	- ≥ 8 kW/m ² Class B _R ≤ 1 Pass	- ≥ 8 kW/m ² Class B _R ≤ 1 Pass
* iQ Granit Multicolour is not approved for use under the IMO directive.	-	-	-	-	
< 2kV	< 2kV	< 2kV	< 2kV	-	< 2kV
-	-	-	-	Approx. + 15 dB	-
≥ 6	≥ 6	≥ 6	≥ 6	≥ 6	≥ 6
Good resistance	Good resistance	Good resistance	Good resistance	Good resistance	Good resistance
Does not favour growth	Pending	Does not favour growth	Does not favour growth	Does not favour growth	Does not favour growth
-	-	-	-	-	-
R9 ≥ 0.3	R9 ≥ 0.3	R9 ≥ 0.3	R9 ≥ 0.3	R9 ≥ 0.3	R10 ≥ 0.3
Approx. 0.01 m ² K/W Suitable - max. 27 °C	Approx. 0.01 m ² K/W Suitable - max. 27 °C	Approx. 0.01 m ² K/W Suitable - max. 27 °C	Approx. 0.01 m ² K/W Suitable - max. 27 °C	Approx. 0.035 m ² K/W Suitable - max. 27 °C	Approx. 0.01 m ² K/W Suitable - max. 27 °C Class C (27 °C)
-	-	-	-	-	-
29 + 2 multicolor	30	10	9	12	12

The perfect finish

The iQ flooring range is completed by Tarkett's comprehensive range of flooring accessories which ensure a perfect finish for every project every time.



Signage

The floor is the perfect place to provide directions and with Tarkett's Floorcraft design service it is possible to create a range of images and designs with iQ flooring. Cut by computer-controlled ultrasound, the designs fit seamlessly into the floor ensuring safety and longer flooring life.

Stair profiles



Protect or decorate staircases with this range of easily fitted PVC and aluminium stair profiles. The colour can be chosen to complement the flooring, or as a contrast for better visibility. They also improve slip-resistance and provide a tactile warning on the leading edge of the stairs.



SB1 / SB2 ▶ Interior and exterior borders create a neat, attractive finish and added protection for the floorcovering. The range is colour coordinated with the NM profiles.


NM1 – NM45 ▶ Stair nosing not only protects the floor but also helps to make the staircase safe. As well as offering slip-resistance, the range has been designed to provide contrast for better visibility while the wide range of dimensions and angles ensure a good fit for any size of tread.

A regulatory requirement for disabled access to buildings, the contrasting colours and knobby surface also provide added safety for all users by clearly indicating changes in level.

WS1 ▶ Tactile warning tiles and an extra level of safety and protection for users and also meet the regulatory requirements for disabled access to buildings. Users are alerted to a change in level by contrasting colours and the clear change of texture created by the knobbed surface. Glued directly to the floor surface, they are easy to install but offer long-lasting hold.

Tactile warning tiles





Tarkett's range of technical and decorative wall base profiles has a suitable solution for use with your iQ flooring whatever your requirement - flexible, semi-flexible, all-in-one profiles, cove formers and caps, colours and neutrals.

Wall base



KS 61 – S60 / S100 ▶ With 38 colours these semi flexible skirtings can be used with most colours in the iQ Optima range. Available in PVC with smooth finish (KS61) or polyolefine coated MDF with a textured surface (S60, S100)

IS 60 ▶ Strips of iQ Optima can be inserted into this polyolefine coated MDF skirting to provide perfect colour matching with the floor covering.

Cove formers
PA 20 / PA 30 – CAP 1/2/3
 ▶ The PA 20, PA 30 cove formers provide support and added strength at the most vulnerable point between floor and wall and also offer easy maintenance. They are complemented by Cap 1, Cap 2, Cap 3, which protect the exposed edge and provide a perfect finish.

PAD 8/ PAD 10 ▶ PAD 8, PAD 10 are all-in-one flexible skirtings solutions incorporating coves and caps. These cove formers are ideal in areas where hygiene is vital, the floor covering itself is used to create the skirting.

Wetrooms



Optima Multisafe and Granit Multisafe can be used as part of Tarkett's complete wetroom solution, which also includes drains and all the other accessories needed for a practical and watertight finish.



Transition profiles

FT 2.5 ▶ Flexible aluminium profiles used to join two different types of floorcovering of the same thickness. Can be manually curved on site to fit any shape or design.

RP1 ▶ Aluminium transition profiles which create a gentle ramp that is a safe and robust solution ideal for heavy traffic areas.

TTP ▶ Flexible PVC transition strip joins two different floor finishes of the same or slightly different heights while ensuring that the flooring on both sides is safely secured.



Threshold and transition profiles in different sizes improve safety and comfort by eliminating abrupt changes of level and smoothing the passage between different floor types.

TarkoSpray



TarkoSpray represents a revolution in flooring installation - a high-grade professional quality adhesive delivered in an aerosol can. It is easier, faster, more economic and more environmentally friendly than traditional adhesives, but still offers exceptional hold.



The best flooring solution

As our customers' requirements change so do our products and with the iQ range we have developed undoubtedly the best flooring on the market. The comprehensive iQ offer has a solution for every area with flexible, hard wearing designs that can be seamlessly mixed with specialist surfaces including acoustic, safety and static control flooring.

With over 300 million sqm installed, thousands of customers worldwide have already discovered the outstanding quality and functional, sensorial and ecological benefits that iQ brings to any project.

Australia: Tarkett Australia Pty Ltd - Tel. +61 2 96 34 73 73 ■ **Austria:** Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 478 80 62 ■ **Baltic States:** Tarkett WykŁadziŃy Sp. z o.o. - Tel. +370 37 262 220 ■ **Belgium:** S.A. Tarkett NV - Tel. +32 16 35 98 80
Brazil: Tarkett FADEMACE - Tel. +55 12 3954 7244 ■ **Canada:** Tarkett Inc. - Tel. +1 450 293 173 ■ **China:** Tarkett Asia Pacific Limited - Shanghai Representative Office - Tel. +86 21 60 95 6838 / +86 21 6095 6859 ■ **Czech Republic:** Tarkett SAS, org. slozka - Tel. +420 271 001 602 ■ **Denmark:** Tarkett A/S - Tel. +45 43 90 60 11 ■ **Finland:** Tarkett Oy - Tel. +358 9 4257 9000 ■ **France:** Tarkett France - Tel. +33 1 41 20 42 49 ■ **Germany:** Tarkett Holding GmbH, Bereich Objekt - Tel. +49 (0) 62 33 810
Greece: Tarkett Monoprosopi Ltd - Tel. +30 2 10 576 3889 ■ **Hong Kong:** Tarkett Asia Pacific Ltd. - Tel. +852 251 18 716 ■ **Hungary:** Tarkett SAS - Tel. +36 1 437 8150 ■ **Italy:** Tarkett S.p.A. - Tel. +39 02 893 411 ■ **Luxembourg:** Tel. +352 949 211 8804
Middle East: Tarkett Middle East - Tel. +961 151 3363/4 ■ **Netherlands:** Tarkett Holding GmbH - Vestiging Nederland - Tel. +31 76 57 80 760 ■ **Norway:** Tarkett AS - Tel. +47 32 20 92 00 ■ **Poland:** Tarkett WykŁadziŃy Sp. z o.o. - Tel. +48 22 639 31 66
Portugal: Tarkett SA - Tel. +351 21 427 64 20 ■ **Russian Federation:** Tarkett Russia - Tel. +7 4 95 777 69 83 ■ **Slovakia:** Tarkett SAS - Tel. +421 248 291 317 ■ **Singapore:** Tarkett Far East - Tel. +65 67 43 53 84 ■ **South East Europe:** Tarkett Trade d.o.o. - Tel. +381 21 7557 649 ■ **Spain:** Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ **Sweden:** Tarkett Sverige AB - Tel. +46 771 25 19 00 ■ **Switzerland:** Tarkett Holding GmbH, Bereich Objekt Schweiz - Tel. +41 (0) 43 233 79 24 ■ **Turkey:** Tarkett ASPEN - Tel. +90 212 213 65 80 ■ **Ukraine:** Tarkett UA - Tel. +380 (44) 569 12 21 ■ **United Kingdom:** Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **North America:** Johnsonite - Tel. +1 440 543 8916 ■ **Tarkett Inc. USA:** - Tel. +1 713 869 5811 ■ **Latin America:** Tarkett FADEMACE - Tel. +55 12 3954 7244 ■ **Tarkett International:** Tel. +33 1 41 20 41 01