CORE COLLECTION

Available today from UK stock



2DAY express

Core collection from Tarkett

Tarkett

THE ULTIMATE FLOORING EXPERIENCE

FLOORING CONTRACTOR PROMOTION

TOP DEALS

Including the **NEW** Tarkett **2DAY** *express* products featured in this brochure

Purchase any combination of the 2Day Express Core Collection and earn one point for each m² purchased

ASK YOUR STOCKIST FOR DETAILS

The above prizes may vary, ask your participating stockists for the latest Top Deals Promotional leaflet.

2DAY*express*
Core collection from Tarkett

Need a flooring product today?

Not everyone can wait until tomorrow, which is why your favourite Tarkett collections are now available from participating stockists the very same day. And if for whatever reason your UK distributor is out of stock of the item you need, our 2Day Express delivery service will ensure the product is in your hands within 48 hours.

CONTENTS

SAFETY
6 SAFETRED WOOD
10 SAFETRED UNIVERSAL
12 SAFETRED SPECTRUM
14 PRIMO SAFE.T

LUXURY VINYL TILES
16 iD INSPIRATION 55 - PLANK & TILE
20 iD INSPIRATION LOOSE LAY - PLANK & TILE
22 iD TILT – INTERLOCKING TILE
24 STARFLOOR CLICK 30
26 iD ESSENTIAL CLICK

SMOOTH
28 iQ GRANIT
30 PREMIUM COLLECTION
32 VYLON PLUS - TILE
34 ACCZENT EXCELLENCE 80 - WOOD
36 TAPIFLEX MODULAR - ACOUSTIC TILE
38 CONTRACT WOOD & CONTRACT NATURE

LAMINATE
42 WOODSTOCK 832

Bespoke courses available

Tarkett Training Academy

THE ULTIMATE TRAINING SOLUTION

IN ASSOCIATION WITH FLOORSKILLS TRAINING ACADEMY

- Learn the latest flooring installation techniques
- Experience our complete wetroom solution, including walls, floors and accessories
- Improve your skills to create unique and inspiring surroundings

For more information on our training and how Tarkett can support your project, contact uktraining@tarkett.com

Tarkett | THE ULTIMATE FLOORING EXPERIENCE

VINYL FLOORCOVERING WITH ENHANCED SLIP RESISTANCE

SAFETRED ION

Linen & Contrast

- True commercial Safety floor to EN13845
- Uniquely designed safety floor
- The designer's choice
- Great for Aged/Dementia Care
- Ideal colours for Health and Education



Inset: Safetred Ion Linen. 007 Light grey
Main image: Safetred Ion Linen. Dark blue 003

marketing@tarkett.com Tweet your installation pictures to @tarkettuk

Tarkett | THE ULTIMATE FLOORING EXPERIENCE

Made in UK

VINYL
FLOORCOVERING
WITH ENHANCED
SLIP RESISTANCE

NEW
& IMPROVED

SAFETRED WOOD

NEW COLOURS with safety clearly InGrained

- 'Smart Particle Technology' for a more natural looking finish
- 'Super Matt' surface effect
- More resistant to scuffs and stains
- A truly commercial safety floor EN13845 with domestic appeal
- Fully sustainable R10 slip resistance throughout the product life
- Tarkett's industry leading 'responsible PVC', Low VOC's and Phthalate free for best indoor air quality
- Loose lay option available - saves time on installation*
- Acoustic option available for better impact sound reduction*

*Available to order – minimum 2 rolls

Safetred Wood - Traditional oak middle natural

NEW
COLOURS
with safety
InGrained

2DAYexpress
Core collection from Tarkett

SAFETRED WOOD

NEW COLOURS with safety clearly InGrained

Safety floors to EN 13845 have a generic A+ environmental rating in major use areas such as healthcare and education. www.bre.co.uk/greenguide

4676 001 Traditional oak light
[weld rod 128 7477] LRV 25
2m Roll

4676 002 Traditional oak natural
[weld rod 128 7477] LRV 20
2m Roll

4676 004 Traditional oak dark
[weld rod 128 7344] LRV 9
2m Roll

4676 006 Trend oak natural
[weld rod 129 2387] LRV 24
2m Roll

4676 007 Trend oak white
[weld rod 128 7005] LRV 26
2m Roll

4676 009 Beech natural
[weld rod 129 1451] LRV 30
2m Roll

4676 011 Traditional oak grey white
[weld rod 128 7178] LRV 38
2m Roll

4676 012 Traditional oak middle natural
[weld rod 129 4428] LRV 26
2m Roll

4676 013 Traditional oak mid grey
[weld rod 128 7766] LRV 16
2m Roll

4676 014 Traditional oak warm
[weld rod 128 7780] LRV 14
2m Roll

4676 015 Trend oak steel grey
[weld rod 128 7537] LRV 22
2m Roll

4676 016 Trend oak smart walnut
[weld rod 128 7766] LRV 15
2m Roll



VINYL FLOORCOVERING WITH ENHANCED SLIP RESISTANCE

SAFETRED UNIVERSAL

Classic safety flooring

- R10 sustainable slip resistance throughout product life
- Safety Clean XP PUR reinforced surface for improved stain resistance and ease of maintenance
- Ultimate flexibility for ease of installation
- Surface Roughness ≥ 20 µm

2DAYexpress Core collection from Tarkett

Safetred Universal - Mercury

100% 40% Recyclable Recycled content

PHTHALATE FREE Technology

<100µg/m³ Better Indoor Air Quality

*TVOC AT 28 DAYS

Extreme Performance SAFETY CLEAN XP PUR REINFORCED

Safetred Universal
0170-0001-DoP-2014-06
http://professionals.tarkett.com
Manufactured by: Tarkett Ltd Lenham ME17 1QX, England
EN 14041:2004

TRRL Pendulum 4S >36

A+ BRE GENERIC ENVIRONMENTAL RATING

Safety floors to EN 13845 have a generic A+ environmental rating in major use areas such as healthcare and education. www.bre.co.uk/greenguide



3820 100 Quasar
[weld rod 129 2384] LRV 6
2m Roll



3820 110 Venus
[weld rod 129 4680] LRV 46
2m Roll



3820 160 Draco
[weld rod 129 1808] LRV 12
2m Roll



3820 170 Jupiter
[weld rod 129 4728] LRV 45
2m Roll



3820 180 Mercury
[weld rod 129 1216] LRV 24
2m Roll



3820 190 Constellation
[weld rod 128 8344] LRV 23
2m Roll



3820 210 Moon
[weld rod 129 4083] LRV 39
2m Roll



3820 240 Comet
[weld rod 129 2655] LRV 33
2m Roll



3820 270 Nebula
[weld rod 129 2329] LRV 15
2m Roll



3820 280 Pegasus
[weld rod 128 8329] LRV 13
2m Roll



3820 290 Pulsar
[weld rod 128 7005] LRV 35
2m Roll

VINYL FLOORCOVERING WITH ENHANCED SLIP RESISTANCE

SAFETRED SPECTRUM

Colourful safety flooring

- R10 sustainable slip resistance throughout the product life
- Safety Clean XP PUR reinforced surface for improved stain resistance and ease of maintenance
- Ultimate flexibility for ease of installation
- Surface Roughness ≥ 20 µm

2DAYexpress Core collection from Tarkett

Safetred Spectrum - Cobalt, Silver

100% 40% Recyclable Recycled content

PHTHALATE FREE Technology

<100µg/m³ Better Indoor Air Quality

*TVOC AT 28 DAYS

Safetred Spectrum 0170-0001-DoP-2014-06 http://professionals.tarkett.com Manufactured by: Tarkett Ltd Lenham ME17 1QX, England EN 14041:2004

TRRL Pendulum 4S >36

A+ BRE GENERIC ENVIRONMENTAL RATING

Safety floors to EN 13845 have a generic A+ environmental rating in major use areas such as healthcare and education. www.bre.co.uk/greenguide



3819 800 Silver
[weld rod 128 8314] LRV 44
2m Roll



3819 805 Shale
[weld rod 129 2105] LRV 28
2m Roll



3819 810 Battleship
[weld rod 129 2329] LRV 15
2m Roll / 50 x 50cm Tile



3819 815 Ecru
[weld rod 129 1615] LRV 52
2m Roll / 50 x 50cm Tile



3819 820 Sepia
[weld rod 128 7216] LRV 33
2m Roll / 50 x 50cm Tile



3819 845 Riviera
[weld rod 128 8344] LRV 24
2m Roll



3819 850 Cobalt
[weld rod 129 1354] LRV 13
2m Roll



3819 855 Denim
[weld rod 129 2030] LRV 17
2m Roll



3819 895 Onyx
[weld rod 129 1845] LRV 6
2m Roll

WETROOM Approved

HOMOGENEOUS VINYL SAFETY FLOORING

PRIMO SAFE.T

Wetroom safety flooring. Barefoot & shod

- Approved for wetrooms
- 2mm wear layer for extreme durability
- R10 sustainable slip resistance throughout the product life
- Safety Clean XP PUR reinforced surface for improved stain resistance and ease of maintenance
- Available with multicoloured weld rod for seamless application

Primo Safe.T - Medium blue

2DAYexpress Core collection from Tarkett

100% 25.5% Recyclable Recycled content

PHTHALATE FREE Technology

<10 µg/m³ Optional Indoor Air Quality *TVOC AT 28 DAYS

Xtreme Performance SWEEP'N CLEAN XP PUR REINFORCED

Primo Safe.T 0170-0001-DoP-2014-06 http://professionals.tarkett.com Manufactured by: Tarkett AB SE - 372 81 Ronneby, Sweden EN 14041:2004

TRRL Pendulum 4S >36

MULTICOLOURED WELD RODS

For combined shod and barefoot use

A+ BRE GENERIC ENVIRONMENTAL RATING

Safety floors to EN 13845 have a generic A+ environmental rating in major use areas such as healthcare and education. www.bre.co.uk/greenguide



21013 792 Medium dark pure grey
[weld rod 129 0285] LRV 34
2m Roll



21013 793 Light warm grey
[weld rod 129 0286] LRV 64
2m Roll



21013 794 Medium cool grey
[weld rod 129 0287] LRV 37
2m Roll



21013 795 Dark cool grey
[weld rod 129 0288] LRV 15
2m Roll



21013 798 Dark cool beige
[weld rod 129 0291] LRV 24
2m Roll

21013 800 Medium warm beige
[weld rod 129 0293] LRV 55
2m Roll



21013 801 Dark warm beige
[weld rod 129 0294] LRV 41
2m Roll



21013 802 Light green
[weld rod 129 0295] LRV 53
2m Roll



21013 805 Light blue
[weld rod 129 0298] LRV 44
2m Roll



21013 806 Medium blue
[weld rod 129 0299] LRV 28
2m Roll

Primo Safe.T - Medium dark pure grey

NEW 2DAYexpress Collection

LUXURY VINYL TILES

iD INSPIRATION 55

PLANK & TILE

Woods, authentic stones and material effects

- Manufactured in the EU
- TopClean XP™ PUR reinforcement for extreme resistance and easy low cost maintenance
- 0.55mm wear layer ideal for heavy commercial applications

iD Inspiration 55 – Contemporary oak grey, Contemporary oak grege (colours included in 2day express), Contemporary oak brown.

iD INSPIRATION 55

Woods, authentic stones and material effects

Heterogeneous to EN 649 have a generic A+ environmental rating in major use areas such as healthcare, education and retail. www.bre.co.uk/greenguide

24235 011
Wenge grey
[weld rod N/A] LRV 18
16.66 x 100 cm Plank

24235 009
Wenge black
[weld rod N/A] LRV 6
16.66 x 100 cm Plank

24231 006
Antik oak light grey
[weld rod N/A] LRV 26
20 x 122 cm Plank

24231 005
Antik oak natural
[weld rod N/A] LRV 23
20 x 122 cm Plank

24231 002
Antik oak brown
[weld rod N/A] LRV 17
20 x 122 cm Plank

24231 101
Scandinavian oak medium beige
[weld rod N/A] LRV 38
20 x 122 cm Plank

24231 104
Scandinavian oak medium grey
[weld rod N/A] LRV 40
20 x 122 cm Plank

24231 105
Scandinavian oak dark grey
[weld rod N/A] LRV 22
20 x 122 cm Plank

24231 025
English oak brown
[weld rod N/A] LRV 18
20 x 122 cm Plank

24231 027
English oak natural
[weld rod N/A] LRV 25
20 x 122 cm Plank

24231 028
English oak light beige
[weld rod N/A] LRV 45
20 x 122 cm Plank

24231 113
Elm light grey
[weld rod N/A] LRV 46
20 x 122 cm Plank

24231 125
Rustic oak natural
[weld rod N/A] LRV 36
20 x 122 cm Plank

24231 124
Rustic oak light grey
[weld rod N/A] LRV 46
20 x 122 cm Plank

24231 109
Contemporary oak grey
[weld rod N/A] LRV 28
20 x 122 cm Plank

24231 110
Contemporary oak grege
[weld rod N/A] LRV 30
20 x 122 cm Plank

24231 111
Contemporary oak natural
[weld rod N/A] LRV 26
20 x 122 cm Plank

24237 120
Oxide black steel
[weld rod N/A] LRV 11
50 x 50 cm Tile

24237 066
Rock grey
[weld rod N/A] LRV 35
50 x 50 cm Tile

24237 065
Rock grege
[weld rod N/A] LRV 48
50 x 50 cm Tile

24237 063
Rock black
[weld rod N/A] LRV 10
50 x 50 cm Tile

24237 035
Bardiglio grey
[weld rod N/A] LRV 39
50 x 50 cm Tile

24237 073
Composite cool grey
[weld rod N/A] LRV 30
50 x 50 cm Tile

24237 075
Polished concrete light grey
[weld rod N/A] LRV 42
50 x 50 cm Tile

LOOSE LAY
LUXURY VINYL
TILES

iD INSPIRATION LOOSE LAY

PLANK & TILE

Loose lay luxury vinyl tiles

- Manufactured in the EU
- TopClean XP™ PUR reinforcement for extreme resistance and easy low cost maintenance
- 0.55mm wear layer ideal for heavy commercial applications
- Unique anti-slide backing for true loose lay performance

2DAYexpress Core collection from Tarkett

iD Inspiration Loose Lay – Delicate wood black, Sawn oak brown

100% Recyclable

PHTHALATE FREE Technology

< 100 µg/m³ Better Indoor Air Quality

*TVOC AT 28 DAYS

TopClean XP Extreme Performance PUR REINFORCED

NO WAX NO POLISH FOR LIFE

iD Inspiration Loose Lay
http://professionals.tarkett.com
Manufactured by: Tarkett Holding GmbH 45329 Kenz - Germany
EN 14041:2004

A+ BRE GENERIC ENVIRONMENTAL RATING

Heterogeneous to EN 649 have a generic A+ environmental rating in major use areas such as healthcare, education and retail. www.bre.co.uk/greenguide

24640 015 Elegant oak natural
[weld rod N/A] LRV 24
22.9 x 121.9 cm Plank

24640 002 Limed oak brown
[weld rod N/A] LRV 6
22.9 x 121.9 cm Plank

24640 013 Delicate wood black
[weld rod N/A] LRV 7
22.9 x 121.9 cm Plank

24640 006 Christmas pine white
[weld rod N/A] LRV 53
22.9 x 121.9 cm Plank

24640 000 Limed oak beige
[weld rod N/A] LRV 49
22.9 x 121.9 cm Plank

24640 008 Christmas pine brown
[weld rod N/A] LRV 16
22.9 x 121.9 cm Plank

24640 017 Sawn oak brown
[weld rod N/A] LRV 17
22.9 x 121.9 cm Plank

24640 001 Limed oak grey
[weld rod N/A] LRV 24
22.9 x 121.9 cm Plank

24640 010 Beach wood grey
[weld rod N/A] LRV 36
22.9 x 121.9 cm Plank

24640 016 Sawn oak grey
[weld rod N/A] LRV 18
22.9 x 121.9 cm Plank

24641 002 Beton grey
[weld rod N/A] LRV 18
30.5 x 61 cm Tile

24641 001 Beton black
[weld rod N/A] LRV 5
30.5 x 61 cm Tile

HEAVY DUTY INTERLOCKING TILE

iD TILT
INTERLOCKING TILE
For fast installation

- Interlocking tile, great for fast installation
- Ideal for warehouse and retail installations
- Perfect solution to mask dirt and dust in high traffic areas

iD Tilt - Concrete dark grey

2DAYexpress Core collection from Tarkett

100% Recyclable

PHTHALATE FREE Technology

<100µg/m³ Better Indoor Air Quality

*TVOC AT 28 DAYS

Top Clean xp PUR REINFORCED

NO WAX NO POLISH FOR LIFE

iD TILT
http://professionals.tarkett.com
Manufactured by:
Tarkett GDL S.A.
L-9779 Lentzweiler
EN 14041:2004

A+ BRE GENERIC ENVIRONMENTAL RATING

Heterogeneous to EN 649 have a generic A+ environmental rating in major use areas such as healthcare, education and retail. www.bre.co.uk/greenguide



24750 001 Concrete grey
[weld rod N/A] LRV 23
45.72 x 45.72 cm Tile

24750 002 Concrete dark grey
[weld rod N/A] LRV 91
45.72 x 45.72 cm Tile

24750 000 Concrete beige
[weld rod N/A] LRV 34
45.72 x 45.72 cm Tile



4697 004 Granite black
[weld rod N/A] LRV 14
91.44 x 91.44 cm Tile

NEW 2DAYexpress Collection

CLICK LUXURY VINYL TILES

STARFLOOR CLICK 30

The perfect solution for renovation projects

- Click installation: doesn't damage the floor
- Locking system that requires no specific tools
- Top Clean treatment for easy cleaning
- Low TVOC emissions
- 100% phthalate free
- 15 years guarantee (residential use)
- R10 slip resistance

Starfloor Click 30 - Retro indigo

2DAYexpress Core collection from Tarkett

100% Recyclable

PHTHALATE FREE Technology

<100µg/m³ Better Indoor Air Quality

*TVOC AT 28 DAYS

Starfloor Click 30
No. 0131-0058-DoP-2015-03
http://professionals.tarkett.com
Manufactured by: Tarkett GDL SA
2, Op der Sang
L-9070 Lentzweiler - Luxembourg
EN 14041:2004

Extreme Protection

GUARANTEE 15 years Residential use

359 98011 Soft oak natural
[weld rod N/A] LRV 17
18.3 x 122 cm Plank

359 98010 Cerused beech natural
[weld rod N/A] LRV 27
18.3 x 122 cm Plank

359 98002 Coloured pine grey
[weld rod N/A] LRV 20
18.3 x 122 cm Plank

359 98009 Teak natural
[weld rod N/A] LRV 8
18.3 x 122 cm Plank

359 98013 Scandinavian wood white
[weld rod N/A] LRV 49
18.3 x 122 cm Plank

360 01002 Retro indigo
[weld rod N/A] LRV 33
31 x 60.3 cm Plank

359 98007 Smoked oak light grey
[weld rod N/A] LRV 27
18.3 x 122 cm Plank

360 01003 Retro orange blue
[weld rod N/A] LRV 27
31 x 60.3 cm Plank

NEW 2DAYexpress Collection

CLICK
LUXURY VINYL
TILES

iD ESSENTIAL CLICK

The ideal solution for domestic environments

- Ideal for domestic environments
- Little or no subfloor preparation
- Click system allows a floating installation
- 20% quicker installation than with glue-down products
- Matching skirtings available

iD Essential Click - Limewashed oak beige, limewashed oak brown

2DAYexpress Core collection from Tarkett

100% Recyclable

PHTHALATE FREE Technology

< 100 µg/m³ Better Indoor Air Quality

*TVOC AT 28 DAYS

iD Essential Click
No. 0131-0058-DoP-2015-06
http://professionals.tarkett.com
Manufactured by: Tarkett GDL SA
2, Op der Sang
L-9779 Lentzweiler - Luxembourg
EN 14041:2004

Top Clean PUR REINFORCED

According to European Classification ISO 10874
23
31

ÉMISSIONS DANS L'AIR INTÉRIEUR* A+ (A+ A B C)

247 22001 Limewashed oak brown
[weld rod N/A] LRV 21
18.2 x 122 cm Plank

247 22002 Delicate oak natural
[weld rod N/A] LRV 17
18.2 x 122 cm Plank

247 22000 Limewashed oak beige
[weld rod N/A] LRV 48
18.2 x 122 cm Plank

247 22004 Toasted oak dark grey
[weld rod N/A] LRV 17
18.2 x 122 cm Plank

247 23000 Stone grey
[weld rod N/A] LRV 27
31 x 60.3 cm Tile

247 23002 Rust metal black
[weld rod N/A] LRV 5
31 x 60.3 cm Tile

HOMOGENEOUS SHEET VINYL

iQ GRANIT

Best lifecycle cost on the market

- iQ Unique Surface Restoration system
- Extreme durability and outstanding flexibility
- Ideal for healthcare and education facilities
- Available with multicoloured weld rod for seamless application

iQ Granit - Beige white

2DAYexpress Core collection from Tarkett

100% Recyclable

PHTHALATE FREE Technology

<10µg/m³ Optional Indoor Air Quality

*TVOC AT 28 DAYS

NO WAX NO POLISH FOREVER

iQ Granit
http://professionals.tarkett.com
Manufactured by:
Tarkett AB
SE-372 81 Ronneby, Sweden
EN 14041:2004

MULTICOLOURED WELD RODS

A+ BRE GENERIC ENVIRONMENTAL RATING

Homogeneous to EN 649 have a generic A+ environmental rating in major use areas such as healthcare, education and retail. www.bre.co.uk/greenguide



3040 383 Grey
[weld rod 129 0021] LRV 29
2m Roll



3040 382 Medium grey
[weld rod 129 0028] LRV 49
2m Roll



3040 782 Light grey
[weld rod 129 0043] LRV 63
2m Roll



3040 379 Blue
[weld rod 129 0041] LRV 20
2m Roll



3040 777 Medium blue
[weld rod 129 0038] LRV 44
2m Roll

3040 432 Light blue
[weld rod 129 0052] LRV 58
2m Roll



3040 384 Black
[weld rod 129 0035] LRV 6
2m Roll

3040 372 Dark yellow beige
[weld rod 129 0031] LRV 50
2m Roll

3040 770 Beige white
[weld rod 129 0036] LRV 71
2m Roll

HOMOGENEOUS SHEET VINYL

PREMIUM COLLECTION

Eclipse & Primo Premium - low maintenance flooring

- No wax, no polish for life
- No additional surface treatment needed
- Flexible flooring solutions for perfect coving results
- Excellent life-cycle cost
- Available with multicoloured weld rod for seamless application

Eclipse Premium - Medium blue, Light pure grey

2DAYexpress Core collection from Tarkett

100% 25.5% Recyclable Recycled content

PHTHALATE FREE Technology

<10 µg/m³ Optional Indoor Air Quality *TVOC AT 28 DAYS

xr Xtreme Reinforcement PUR REINFORCED

NO WAX NO POLISH FOR LIFE

CE Primo Premium & Eclipse Premium http://professionals.tarkett.com Manufactured by: Tarkett AB SE-372 81 Ronneby, Sweden EN 14041:2004

MULTICOLOURED WELD RODS

A+ BRE GENERIC ENVIRONMENTAL RATING

Homogeneous to EN 649 have a generic A+ environmental rating in major use areas such as healthcare, education and retail. www.bre.co.uk/greenguide

Eclipse



21020 067 Medium grey blue
[weld rod 129 0272] LRV 32
2m Roll



21020 026 Light warm grey
[weld rod 129 0190] LRV 64
2m Roll



21020 012 Dark cool grey
[weld rod 129 0192] LRV 15
2m Roll



21020 036 Medium warm beige
[weld rod 129 0264] LRV 55
2m Roll



21020 730 Medium blue
[weld rod 129 0197] LRV 28
2m Roll



21020 010 Medium green
[weld rod 129 0265] LRV 37
2m Roll



21020 040 Medium dark pure grey
[weld rod 129 0189] LRV 34
2m Roll

21020 004 Medium gold
[weld rod 129 0270] LRV 50
2m Roll

21020 979 Medium blue
[weld rod 129 0205] LRV 28
2m Roll

21020 975 Light green
[weld rod 129 0176] LRV 53
2m Roll

21020 963 Light pure grey
[weld rod 129 0214] LRV 74
2m Roll

21020 974 Dark warm beige
[weld rod 129 0175] LRV 24
2m Roll

Primo



21010 666 Dark blue
[weld rod 129 0165] LRV 15
2m Roll



21010 681 Dark green
[weld rod 129 0233] LRV 24
2m Roll



21010 672 Light warm grey
[weld rod 129 0220] LRV 64
2m Roll



21010 675 Light cool beige
[weld rod 129 0229] LRV 74
2m Roll



HOMOGENEOUS
SHEET VINYL

VYLON PLUS TILE

Versatile flooring, most flexible in its category

- Cost effective homogeneous general purpose floorcovering
- Factory finish surface treatment provides base for maintenance
- Good resistance to everyday wear
- Extremely low VOCs contributing to better indoor air quality

2DAYexpress
Core collection from Tarkett

100% 25.5% Recyclable Recycled content

PHTHALATE FREE Technology

<10µg/m³* Optional Indoor Air Quality
*TVOC AT 28 DAYS

Vylon Plus
http://professionals.tarkett.com
Manufactured by:
Tarkett AB
SE-372 81 Ronneby, Sweden
EN 14041:2004

A+ BRE GENERIC ENVIRONMENTAL RATING

Homogeneous to EN 649 have a generic A+ environmental rating in major use areas such as healthcare, education and retail.
www.bre.co.uk/greenguide

21001 585 Hessian
[weld rod N/A] LRV 41
30 x 30 cm Tile

21001 590 Dolphin
[weld rod N/A] LRV 29
30 x 30 cm Tile

21001 591 Charcoal
[weld rod N/A] LRV 15
30 x 30 cm Tile

21001 595 Champagne
[weld rod N/A] LRV 52
30 x 30 cm Tile

HETEROGENEOUS SHEET VINYL

ACCZENT EXCELLENCE 80

WOOD

Contemporary smooth vinyl flooring

- 0.8mm wear layer ideal for heavy commercial applications
- Unique long planks to enhance spaces
- Authentic feeling with new matt finish and realistic surface aspect
- Excellent resistance with TopClean XP surface treatment
- Available with multicoloured weld rod for seamless application

2DAYexpress Core collection from Tarkett

Acczent Excellence 80 - Allover wood black

100% Recyclable 33% Recycled content

PHTHALATE FREE Technology

<10 µg/m³ Optional Indoor Air Quality

*TVOC AT 28 DAYS

TopClean XP PUR REINFORCED

NO WAX NO POLISH FOR LIFE

Acczent Excellence 80 http://professionals.tarkett.com Manufactured by: Tarkett SAS 08200 Sedan - France EN 14041:2004

MULTICOLOURED WELD RODS

A+ BRE GENERIC ENVIRONMENTAL RATING

Heterogeneous to EN 649 have a generic A+ environmental rating in major use areas such as healthcare, education and retail. www.bre.co.uk/greenguide

25029 013 Allover wood black
[weld rod 128 7548] LRV 14
2m Roll

25029 003 Vintage pine light
[weld rod 129 0179] LRV 50
2m Roll

25029 005 Long modern oak white
[weld rod 129 0307] LRV 33
2m Roll

25029 008 Long modern oak grege
[weld rod 129 0304] LRV 21
2m Roll

25029 000 Farmhouse warm grey
[weld rod 129 0306] LRV 28
2m Roll

25030 017 Washed oak white
[weld rod 129 0099] LRV 29
2m Roll

25029 015 Saw oak natural
[weld rod 129 0301] LRV 27
2m Roll

25029 001 Farmhouse natural
[weld rod 129 0301] LRV 23
2m Roll

25030 007 Walnut natural
[weld rod 128 7287] LRV 12
2m Roll

25029 009 Long modern oak natural brown
[weld rod 129 0311] LRV 17
2m Roll

25030 008 Walnut dark
[weld rod 129 0139] LRV 10
2m Roll

25030 026 Brushed oak medium
[weld rod 128 7546] LRV 14
2m Roll

25029 006 Long modern oak black
[weld rod 129 0310] LRV 10
2m Roll

25029 007 Long modern oak brown
[weld rod 129 0309] LRV 10
2m Roll

25030 003 Cabreuva brown
[weld rod 128 7032] LRV 18
2m Roll

HETEROGENEOUS VINYL TILES

TAPIFLEX MODULAR

Hard-wearing and noise-reducing tiles ideal for housing, aged care and education projects

- High sound absorption (19dB)
- Good indentation and wear resistance
- TopClean XP™ PUR reinforcement for extreme resistance and easy low cost maintenance

2DAYexpress Core collection from Tarkett

100% 26% Recyclable Recycled content

PHTHALATE FREE Technology

<100µg/m³* Better Indoor Air Quality
*TVOC AT 28 DAYS

Top Clean PUR REINFORCED

NO WAX NO POLISH FOR LIFE

CE EN 14041:2004
Tapiflex Modular
http://professionals.tarkett.com
Manufactured by:
Tarkett Holding GmbH
45329 Konz - Germany

A+ BRE GENERIC ENVIRONMENTAL RATING

Heterogeneous to EN 649 have a generic A+ environmental rating in major use areas such as healthcare, education and retail.
www.bre.co.uk/greenguide

25064 109 Saphyr light beige
[weld rod N/A] LRV 48
50 x 50 cm Tile

25064 106 Saphyr medium grey
[weld rod N/A] LRV 41
50 x 50 cm Tile

25064 107 Saphyr light grey
[weld rod N/A] LRV 49
50 x 50 cm Tile



25064 105 Saphyr dark grey
[weld rod N/A] LRV 23
50 x 50 cm Tile

NEW
2017 Collection

HETEROGENEOUS
SHEET VINYL

CONTRACT WOOD & CONTRACT NATURE

Compact flooring for heavy duty traffic areas

- Heavy traffic sheet floorcovering, ideal for all commercial and residential areas
- Excellent resistance to indentation and abrasion
- 2m width available from UK stock*
- Contract Nature 19dB option available to order

*4m Available to order

Contract Wood - Haussmann dark grey

2DAYexpress
Core collection from Tarkett

CONTRACT WOOD & CONTRACT NATURE

Compact flooring for heavy duty traffic areas

Contract Wood

25098 069 Haussmann natural
[weld rod 129 4315] LRV 33
2m Roll

25098 070 Haussmann dark grey
[weld rod 128 7537] LRV 20
2m Roll

25098 071 Haussmann warm brown
[weld rod 129 4429] LRV 14
2m Roll

25098 036 Oak grey
[weld rod 128 7713] LRV 29
2m Roll

25098 035 Oak grey beige
[weld rod 129 4428] LRV 26
2m Roll

25098 074 Oak middle natural
[weld rod 128 7505] LRV 23
2m Roll

25098 075 Oak natural honey
[weld rod 128 7153] LRV 23
2m Roll

25098 076 Oak beige
[weld rod 128 7733] LRV 38
2m Roll

25098 077 Oak dark brown
[weld rod 129 4429] LRV 16
2m Roll

25098 029 Beech light natural
[weld rod 128 7285] LRV 42
2m Roll

25098 034 Faro 2 natural
[weld rod 129 2101] LRV 29
2m Roll

Contract Wood 100% 31% Recyclable Recycled content

Contract Nature 100% Recyclable

PHTHALATE FREE Technology

<100µg/m³ Better Indoor Air Quality *TVOC AT 28 DAYS

Top Clean PUR REINFORCED

NO WAX NO POLISH FOR LIFE

Contract Wood
0131-0037-DoP-2013-07
http://professionals.tarkett.com
Manufactured by: Tarkett Luxembourg SA L-9779 Lentzweiler - Luxembourg
EN 14041:2004

Contract Nature
0131-0056-DOP-2014-17
http://professionals.tarkett.com
Manufactured by: Tarkett Luxembourg SA L-9779 Lentzweiler - Luxembourg
EN 14041:2004

A+ BRE GENERIC ENVIRONMENTAL RATING

Heterogeneous to EN 649 have a generic A+ environmental rating in major use areas such as healthcare, education and retail. www.bre.co.uk/greenguide

25098 073 Faro 2 warm beige
[weld rod 129 4852] LRV 38
2m Roll

25098 072 Faro 2 anthracite
[weld rod 128 7333] LRV 17
2m Roll

Contract Nature

25098 052 Middle grege
[weld rod 128 7443] LRV 44
2m Roll*

25098 078 Light grege
[weld rod 128 7685] LRV 55
2m Roll*

25098 049 Warm medium grey
[weld rod 128 7435] LRV 31
2m Roll*

25098 045 Cold dark grey
[weld rod 128 7308] LRV 16
2m Roll*

25098 046 Black
[weld rod 128 7526] LRV 9
2m Roll*

25098 063 Sand
[weld rod 128 7174] LRV 33
2m Roll

25098 055 Fresh blue
[weld rod 128 7804] LRV 29
2m Roll*

25098 109 Dark blue
[weld rod 128 7385] LRV 16
2m Roll*

25098 081 Royal purple
[weld rod 128 7220] LRV 23
2m Roll

*Colours available to order as 2m 19dB acoustic roll

NEW 2DAYexpress Collection

LAMINATE

WOODSTOCK 832

Classic and classy, oak remains an all time favourite

- Embossed in register
- Installation: floating with 2-Lock Click system - acoustic underlay available separately
- 8 mm board
- Beveled - 4 sides
- EN Class 32

Woodstock 832 - Sherwood oak mocha

2DAYexpress Core collection from Tarkett

100% Recyclable | 84% 80% Natural Renewable | <100 µg/m³ Better Indoor Air Quality *TVOC AT 28 DAYS | CE EN 14041 | Cfl-s1 | 32 | DS | PEFC

837 4289 Sherwood oak grey mocha
[weld rod N/A]
129.2 x 19.4 cm Plank

837 4216 Sherwood oak mocha
[weld rod N/A]
129.2 x 19.4 cm Plank

837 4239 Black and hype
[weld rod N/A]
129.2 x 19.4 cm Plank

422 58364 Oak soft saffron
[weld rod N/A]
129.2 x 19.4 cm Plank

420 66399 Forest oak cloud
[weld rod N/A]
129.2 x 19.4 cm Plank

420 66401 Forest oak gold
[weld rod N/A]
129.2 x 19.4 cm Plank

837 4215 Sherwood oak tobacco
[weld rod N/A]
129.2 x 19.4 cm Plank

420 66402 Forest oak praline
[weld rod N/A]
129.2 x 19.4 cm Plank

tarkett2day.com

2DAYexpress

Core collection from Tarkett

Valid from 1st March 2017 until further notice. Colours printed by Tarkett have been reproduced as accurately as the printing process will allow. Please request a sample piece before undertaking work as this will give you a stronger indication of the appearance of the actual colour, which can be affected by many factors including the lighting of a room. E&OE

Tarkett Limited Lenham, Maidstone, Kent ME17 2QX, United Kingdom. Tel 01622 854040 Fax 01622 854520 www.tarkett.co.uk Email: uksales@tarkett.com @TarkettUK

Tarkett

www.tarkett.co.uk